

*Wingledorff's*  
INC

SPRING 2025

# PreSeason

GEAR UP TO REEL IN THE PROFITS!

PROMOTION RUNS MAR 24<sup>TH</sup> - MAY 30<sup>TH</sup>, 2025

**TOTALINE**®

Universal HVAC/R  
Parts and Supplies

Truck Stock & Tools  
4 - 39

Indoor Air Quality  
40 - 55

Commercial Parts  
56 - 66



## Order Online PreSeason wishlist available on SingleSource®

- 24/7 access to product information
- Real-time inventory and pricing
- Place orders anytime, anywhere

### Get started in 3 simple steps!

1. Download our new App
2. Login to your SingleSource® account  
*or request an account from home screen*
3. Start placing orders online

### What can SingleSource® do for you?

#### 24/7 ACCESS


- Place orders anytime, anywhere
- Check local inventory and pricing without making a phone call
- Never wait on hold

#### PRODUCT DATA

- Fast and easy product look-up
- Access product manuals, replacement part lists, and technical specifications
- Search all parts, supplies and equipment with ease

#### JOB COSTING

- Attach purchase order numbers to web orders and keep your jobs organized under your account
- Create new wishlists for items you order all the time
- Upload your orders as spreadsheets
- Search order history fast and easy



## DOWNLOAD THE APP



#### MOBILE ACCESS

- Built for desktop, mobile and tablet compatibility
- Optimized for any device to drive your business on the go
- Search local inventory based on your geolocation

#### RELIABILITY & CONTROL

- Tested to enhance your business work-flow
- Create admin accounts for your employees based on their role and control their individual access

#### LOGISTICS

- Know what you're getting, where it's coming from, and when you'll get it
- See product availability at all Mingledorff's locations
- Avoid shipping fees with in-store pickup options or request delivery during checkout



Mingledorff's  
**PRESEASON**  
 Gear Up to Reel in The Profits Mar 24 – May 30, 2025



# Get Rewarded for Your PreSeason Order!

## Online Registration and \$2,000 Minimum Qualifying Order Required



Here's how to get started:

- Step 1. Scan QR or click [here](#) to access the online registration form.
- Step 2. Complete the online registration form and select your rewards and incentives.
- Step 3. Start shopping! A \$2,000 minimum order will lock in PreSeason benefits through May 30<sup>th</sup>.

### CREDIT TERMS

60-Day Deferred Payment with a \$2,000 or more order (with Credit Dept. approval)  
 90-Day Deferred Payment with a \$3,000 or more order (with Credit Dept. approval)  
 (Contact Mingledorff's Credit Dept. for approval and activation of 60 day and 90 day Deferred Payment.)

### OTHER TERMS & CONDITIONS

Prices are subject to adjustment in the event there are cost increases created by circumstances such as, but not limited to, manufacturer price increases, changes in government policies and tariffs, and transportation and shipping costs.

All purchases are subject exclusively to Mingledorff's Terms and Conditions of Sale Pertaining to HVAC and Plumbing Equipment and Related Parts (the "Terms"). The current Terms can be found on our website at [www.mingledorffs.com/terms-and-conditions](http://www.mingledorffs.com/terms-and-conditions) or provided to you upon request.

All reasonable efforts have been made to ensure the accuracy of the information contained in this catalog at the time of publication. Specifications, packaging and part numbers detailed within are subject to change. To verify or obtain the most up-to date information, please contact your local Mingledorff's Sales Professional.

### REWARDS AND INCENTIVES

For every \$1,000 in PreSeason Catalog orders (excludes refrigerant & duct board) from **March 24, 2025– May 30, 2025**, your company is eligible for your choice of ONE of the reward options below.

- A. Rewards Points for CarrierIncentives.com or BryantPromotions.com – 160 reward points. See next page for details.
- B. \$40 Rebate via Credit to Your Open Account

**Must submit your fully completed registration form by May 30, 2025.**

*Pricing is confidential and subject to change without notice. All purchases shall be subject exclusively to Mingledorff's Terms and Conditions of Sale located at [www.mingledorffs.com/terms-and-conditions](http://www.mingledorffs.com/terms-and-conditions) or provided to you upon request. All reasonable efforts have been made to ensure the accuracy of the information contained in this document at the time of publication. Specifications, packaging and part numbers detailed within are subject to change. To verify or obtain the most up-to date information, please contact your Territory Manager or Account Executive.*



#### MERCHANDISE

Choose from over 400,000 merchandise items from the best companies in the world— including Sony®, Weber®, Apple®, Bose®, Samsung®, Toro®, Maui Jim®, Milwaukee Tool® and hundreds more.

#### TRAVEL

Ready to plan the perfect getaway? You have the power with Do It Yourself travel: airline, hotel, and car rental certificates. Take a cruise, go on a tour, the list goes on and on.

#### SPORTS & ENTERTAINMENT

Sit in some of the best seats in the house for most sporting events, concerts, Broadway and Las Vegas shows, family entertainment and other publicly ticketed events. Or, head to a movie theatre near you to catch the latest blockbuster.

#### MOVIES, MUSIC & eBooks

Millions of songs. Thousands of books. Hundreds of movies. Digital downloads get you your favorite track, book, TV show or film right to your favorite device.



### HOW IT WORKS

- 1 You must have an HVAC Partners account in order to participate in the [www.CarrierIncentives.com](http://www.CarrierIncentives.com) or [BryantPromotions.com](http://BryantPromotions.com) Rewards Programs. Please include your MyHVAC PIN #, which can be found under "My Profile" on [www.HVACPartners.com](http://www.HVACPartners.com).
- 2 Place your PreSeason order and receive 160 points for every \$1,000 spent.
- 3 Log into [www.CarrierIncentives.com](http://www.CarrierIncentives.com) or [BryantPromotions.com](http://BryantPromotions.com) to redeem your rewards.
- 4 Shop over 3.8 Million brand name items that include electronics, TVs, home furnishings, jewelry, dining, getaways tickets to sporting events and custom travel and destinations.




## TRUCK STOCK & TOOLS

STOCK UP ON ALL THE ESSENTIALS TO GET THE JOB DONE.

4 – 39

"CONTROL BOARDS"	6
"GAS CONNECTORS & LEAK DETECTION"	6
"CONDENSOR FAN MOTORS"	7 – 8
"BLOWER MOTORS"	9 – 11
"MOTOR ACCESORIES"	11
"CAPACITORS"	14 – 15
"START ASSIST KITS"	15
"THERMOSTATS"	16 – 18
"FAN CONTROL"	18
"RELAYS"	18 – 19
"TRANSFORMERS"	19
"CONTROL WIRE"	20
"CONTACTORS"	20 – 21
"ELECTRICAL SUPPLIES"	21 – 22
"REFRIGERATION SUPPLIES"	23 – 26
"OILS & OTHER REFRIGERATION SUPPLIES"	25 – 26
"CONDENSATE MANAGEMENT"	26 – 30
"CLEANING SUPPLIES & COIL CLEANERS"	31 – 32
"COMPRESSORS"	32
"TOOLS"	33 – 36
"PLUMBING & ELECTRICAL"	37



# TRUCK STOCK & TOOLS

## CONTROL BOARDS

### CONTROL BOARDS

P/N	Description	Qty
WR-50M56X-843	Universal Integrated Furnace Module	
S9200U1000	Honeywell Universal IFC	
HK61EA002	Carrier Fan Coil Control	

## GAS CONNECTORS & LEAK DETECTION

### DORMONT SUPER-SAFE STAINLESS STEEL GAS CONNECTORS



P/N	Description	Qty
G303-3131-24	24" Flexible Gas Line	
G303-3131-36	36" Flexible Gas Line	
G303-3131-48	48" Flexible Gas Line	
<b>Shut-Off Valves</b>		
G01-2808	1/2" Gass Ball Valve B-10, Diversitech	
G01-2812	3/4" Gass Ball Valve B-10, Diversitech	

### GAS LEAK LOCATOR



P/N	Size	Qty
P902-4508	8 oz	
P902-4501	1 Gal	



### GAS PRESSURE TEST

P/N	Description	Qty
DT-TG30	3/4" Gas Pressure Test Gauge	
RIT-78060	Gas Pressure Test Kit	

### CO DETECTOR

P/N	Description	Qty
COALMCCNRB02	Carbon Monoxide (CO) Alarm	

## CONDENSOR FAN MOTORS

### TOTALINE® MULTIPLE HP CONDENSER FAN MOTORS

P/N	H.P.	Voltage	FLA	RPM/Speed	Brgs.	Qty
P257-E5462	1/6-1/3	208-230	2.6	1075/2	SLV	
P257-E5465	1/5-1/2	208-230	3.25	1075/2	BALL	
P257-E5464	1/6-1/3	208-230	2.55	825/2	BALL	



### TOTALINE® CONDENSER FAN MOTORS - ALL ANGLE (60 HERTZ) - SINGLE SPEED

- Totally enclosed for shaft down applications
- Slinger protects bearing when motor is mounted in shaft up or horizontal position (remove slinger when motor is mounted in shaft down position)
- Rated continuous air over
- Automatic reset thermal protection
- Permanent split capacitor
- Class B insulation
- Reversible by electrical reconnection
- 26" leads
- 6" shaft with 2 full flats, 90" apart
- Nema 48Y frame
- Single phase, 60 hertz

P/N	H.P.	Voltage	FLA	RPM/Speed	Brgs./Dim. (in)	Capacitor MFD/Volts*	Qty
P257-8727	1/6	208-230	1.0	1075/1	SLV 10.9	5/370	
P257-8728	1/4	208-230	1.9	1075/1	SLV 10.9	5/370	
P257-8729	1/3	208-230	2.2	1075/1	SLV 11.4	7.5/370	
P257-8730	1/2	208-230	3.1	1075/1	SLV 11.6	10/370	
P257-8731	3/4	208-230	5.5	1075/1	SLV 11.6	10/370	

### DIVERSITECH CONDENSER FAN MOTORS

- Permanent Split Capacitor
- Thermally Protected
- Single Phase, 60 Hertz
- Class A Insulation
- 20" Leads
- Reversible by Electrical Reconnection
- Totally Enclosed
- 6-1/2" x 1/2" Shaft
- All Position Mounting

P/N	H.P.	Voltage	FLA	RPM/Speed	Brgs./Frame	Capacitors MFD/Volts	Qty
WG840727	1/6	208-230	1.07	1075/1	SLV / 48	5/370	
WG840728	1/4	208-230	2.0	1075/1	SLV / 48	5/370	
WG840729	1/3	208-230	2.97	1075/1	SLV / 48	7.5/370	
WG840730	1/2	208-230	3.55	1075/1	SLV / 48	10/370	
WG840731	3/4	208-230	5.5	1075/1	SLV / 48	10/370	

### DIVERSITECH MULTIPLE HP CONDENSER FAN MOTORS

P/N	Description	Qty
WG840465	1/6-1/3 Hp 208-230 1075/2 Condenser Fan Motor	
WG840468	1/5-1/2 Hp 208-230 1075/2 Condenser Fan Motor	
WG840469	1/6-1/3 Hp 208-230 825/2 Condenser Fan Motor	

**Introducing NuStart™ Compressor Soft Starter**

**FEATURES**

- Most Compact Soft Starter in the Market!
- Available in Single and Three Phase Models
- Compatible with Modern Scroll Compressors
- Reduces Inrush Current
- Reduces Compressor and Piping Stress
- Lowers Start-Up Noise and Vibration
- Efficient Start-Up on Back-Up Power Sources
- Unique Reverse Motor Protection
- Eliminates Motor Stalling During Low Voltage Events
- Easy Retrofit

**MODEL DESCRIPTION**

MODEL	DESCRIPTION
5010-10	115 VAC, Single Phase, 12-20 RLA
5010-20	230 VAC, Single Phase, 8-16 RLA
5010-21	230 VAC, Single Phase, 16-32 RLA
5010-30	230 VAC, Three Phase, 4-28 RLA
5010-31	460 VAC, Three Phase, 4-27 RLA

SCAN HERE FOR MORE INFORMATION

or click here

**Nu-Calgon**  
2611 Schuetz Rd. | St. Louis, MO 63043  
800-554-5499 | nucalgon.com

## BLOWER MOTORS



### TOTALINE® DIRECT DRIVE BLOWER MOTORS - THREE SPEED

- 26" Leads
- Nema 48Y frame
- Single phase, 60 hertz
- Sleeve bearing
- 4" shaft 1/2" diameter
- Automatic reset thermal protection
- Class A insulation
- Reversible by electrical reconnection of reversing plug
- 2.25" to 2.5" resilient ring mount
- Permanent split capacitor

P/N	H.P.	Voltage	FLA	RPM/Speed	Capacitor MFD/Volts*	Qty
P257-8583	1/4	115	4.2	1075/3	5/370	
P257-8584	1/4	208-230	2.0	1075/3	5/370	
P257-8585	1/3	115	6.2	1075/3	5/370	
P257-8586	1/3	208-230	2.9	1075/3	5/370	
P257-8587	1/2	115	9.0	1075/3	5/370	
P257-8588	1/2	208-230	4.3	1075/3	5/370	
P257-8589	3/4	115	10.3	1075/3	15/370	
P257-8590	3/4	208-230	4.6	1050/3	15/370	

### DIVERSITECH DIRECT DRIVE BLOWER MOTORS

- Permanent Split Capacitor
- Thermally Protected
- Single Phase, 60 Hertz
- Class A Insulation
- 20" Leads
- Reversible by Electrical Reconnection
- 4-1/2" x 1/2" Shaft
- Shaft Up, Shaft Down, or Belly Band
- Sleeve Bearings

P/N	H.P.	Voltage	FLA	RPM/Speed	Brgs./Frame	Capacitors MFD/Volts	Qty
WG840583	1/4	115	3.6	1075/3	SLV / 48	5/370	
WG840584	1/4	208-230	1.8	1075/3	SLV / 48	5/370	
WG840585	1/3	115	6.6	1075/3	SLV / 48	5/370	
WG840586	1/3	208-230	2.9	1075/3	SLV / 48	5/370	
WG840587	1/2	115	9.5	1075/3	SLV / 48	5/370	
WG840588	1/2	208-230	3.95	1075/3	SLV / 48	5/370	
WG840589	3/4	115	10	1075/3	SLV / 48	15/370	
WG840590	3/4	208-230	5	1075/3	SLV / 48	15/370	

**TOTALINE® MULTIPLE HP BLOWER MOTORS**

P/N	H.P.	Voltage	FLA	RPM	Brgs.	Qty
P257-E5460	1/6-1/2	115	7.3	1075/4	SLV	
P257-E5461	1/6-1/2	208-230	3.6	1075/4	SLV	
P257-E5470	1/5-3/4	115	8.1	1075/4	BALL	
P257-E5471	1/5-3/4	208-230	3.8	1075/4	BALL	



**DIVERSITECH MULTIPLE HP MOTORS**

P/N	Description	Qty
WG840463	1/6-1/2 Hp 115V 1075/4 Direct Drive Motor	
WG840464	1/6-1/2 Hp 208-230V 1075/4 Direct Drive Motor	
WG840466	1/5-3/4 Hp 115V 1075/4 Direct Drive Motor	
WG840467	1/5-3/4 Hp 208-230V 1075/4 Direct Drive Motor	



**TOTALINE® ECM FLEX13 REPLACEMENT**

*Ready to Use out of the Box!*

*Replaces ECM X13 Constant Torque Blower Motors 5 Speeds, Using 24VAC*

- Easy Install – Match Horsepower and Voltage
- Automatic Dual Rotation
- Uses existing OEM Harness
- 1 Phase, 50/60 Hertz
- 48 Frame, UL and CSA Approved

P/N	Description	Qty
P257-FLEX1370	1/2-1/3 HP, 115V	
P257-FLEX1371	3/4 HP, 115V	
P257-FLEX1372	1 HP, 115V	
P257-FLEX1373	1/2-1/3 HP, 208-230V	
P257-FLEX1374	3/4 HP, 208-230V	
P257-FLEX1375	1 HP, 208-230V	
P257-FLEX1660	1 HP, 115/208-230V	
P257-FLEX1661	3/4 HP, 115/208-230V	
P257-FLEX1662	1/2-1/3 HP, 115/208-230V	



**TOTALINE® ECM FLEXPSC UPGRADE FOR PSC**

**Easy Install!**

*Upgrade Existing Furnace to More Energy Efficient ECM Technology*

- Easy Install – Connects Directly to Standard PSC Furnace and Air-Handler Boards – Fits Wide Variety of Direct Drive Blower Motor Applications
- 2 Multi-HP Models Available
- Dual Voltage 115–230V Single Phase
- High Efficiency Design (ECM is 82% Efficient Versus Standard PSC at 60%)
- Upgrade to Constant Airflow with these Benefits:
  - Helps with Better Air Filtration
  - Allows for Additional IAQ Solutions
  - Provides More Even Temperatures in the Home, Reducing Room Temperature Differences by 3°–6°

P/N	Description	Qty
P257-FLEXPSC50	1/2-1/4 HP, 115/208-230V	
P257-FLEXPSC51	1-3/4 HP, 115/208-230V	
P257-FLEXPSC61	Cond ECM 1/3 HP, 208-230V, 1075/2	

**MOTOR ACCESORIES**



**MOTOR MOUNT KITS**

Stamped Steel Motor Mounting Kits for 42 and 48 Frame Direct Drive Blower Motors. Kit contains belly band, mounting arms, rubber isolation grommets, and 1/4–20 sleeved bolts and nuts for attaching mount to fan housing.

P/N	Motor Frame	Bolt Circle	Diameter	Qty
P251-0074	42/48	11.6"	5.5"	
P251-0075	42/48	11.0"	5"	
PACK-TFM556*	42/48	Torsion Flex Mount		


*\*Works with Goodman / Amana Furnaces.*



**RAIN SHIELD**

Aluminum Rain Shield protects motor shaft bearing and windings from entrance of rain and snow. For use with vertically mounted Condenser Motor with shaft up.

P/N	Bore Size	Qty
P251-0051	1/2" Totaline®	



**TOTALINE® MOTORS CROSS REFERENCE**

TOTALINE	DESCRIPTION	CENTURY/ AD SMITH	FASCO	GE/ GENTEO	MARATHON	MARS	NORDYNE/ PARTNERS CHOICE	PACKARD	RHEEM/RUUD PROTECH	US MOTORS/ EMERSON	WAGNER	YORK SOURCE 1
<b>CONDENSER FAN</b>												
P257-8727	1/6HP 208-230V 1075/1 RPM	FSE1016S	D917	3727	X411	10727	01-0160	43727	W51-16CJA1-01	1859	WG840727	S1-FHM3727
P257-8728	1/4HP 208-230V 1075/1 RPM	FSE1026S	D909	3728	X213	10728	01-0161	43728	W51-14CJA1-01	1860	WG840728	S1-FHM3728
P257-8729	1/3HP 208-230V 1075/1 RPM	FSE1036S	D908	3729	X214	10729	01-0162	43729	W51-13CJA1-01	1861	WG840729	S1-FHM3729
P257-8730	1/2HP 208-230V 1075/1 RPM	FSE1056S	D907	3730	X221	10730	01-0163	43730	W51-12CJA1-01	1862	WG840730	S1-FHM3730
P257-8731	3/4HP 208-230V 1075/1 RPM	FSE1076S	D933	3731		10731	01-0164	43731	51-42534-19	1868	WG840731	S1-FHM3731
P257-3203	1/6HP 208-230V 825/1 RPM	FSE1018SF	D798	3403	X465	10403	0165	60825		1873		
P257-3204	1/4HP 208-230V 825/1 RPM	FSE1028SF	D934	3404		10404	0166	40825		1874	WG840204	
P257-3205	1/3HP 208-230V 825/1 RPM	FSE1038SF	D796	3405	X451	10405	0167	30825		1875	WG840205	S1-FHM3205
P257-3206	1/2HP 208-230V 825/1 RPM	FSE1058SF	D713	3746	X452	10746	0168			1870		
P257-3204HS	High Temp 70°C 1/4HP 208-230V 825/1 RPM	FE1028SF		3204HS		20404				1874H	WG840404HT	S1-FHM3204HT
P257-3205HS	High Temp 70°C 1/3HP 208-230V 825/1 RPM	FE1038SF		3205HS		20405				1875H	WG840405HT	S1-FHM3205HT
P257-3726HS	High Temp 70°C 1/6HP 208-230V 1075/1 RPM	FE1016SF		3726HS		20727				1859H	WG840727HT	
P257-3732HS	High Temp 70°C 1/4HP 208-230V 1075/1 RPM	FE1026SF		3732HS		20728				1860H	WG840728HT	S1-FHM3728HT
P257-3733HS	High Temp 70°C 1/3HP 208-230V 1075/1 RPM	FE1036SF		3733HS		20729				1861H	WG840729HT	S1-FHM3729HT
P257-3734HS	High Temp 70°C 1/2HP 208-230V 1075/1 RPM	FE1056SF		3734HS		20730				1862H	WG840730HT	S1-FHM3730HT
P257-3735HS	High Temp 70°C 3/4HP 208-230V 1075/1 RPM	FE1076SF		3735HS		20731				1868H	WG840731HT	
P257-3736HS	High Temp 70°C 1/4HP 460V 1075/1 RPM	FEH1026SF	D980	3736		20836		51-19704-01	3936H	WG840736HT	S1-FHM3736HT	
P257-3737HS	High Temp 70°C 1/3HP 460V 1075/1 RPM	FEH1036SF	D982	3737		20837		51-FHM3737HT	3737H	WG840737HT	S1-23063-11	
P257-3738HS	High Temp 70°C 1/2HP 460V 1075/1 RPM	FEH1056SF		3738		20838		51-20929-01	3738H	WG840738HT	S1-FHM3738HT	
P257-3739HS	High Temp 70°C 3/4HP 460V 1075/1 RPM	FEH1076SF		3739		20842			3742H	WG840739HT		
<b>DIRECT DRIVE BLOWER</b>												
P257-8583	1/4HP 115V 1075/3 RPM	FDL1026	D721	3583		10583	01-0169	43583	W51-14BAA3-01	1863	WG840583	S1-FHM3583
P257-8585	1/3HP 115V 1075/3 RPM	FDL1036	D701	3585	X002	10585	01-0170	43585	W51-13BAA3-01	1864	WG840585	S1-FHM3585
P257-8587	1/2HP 115V 1075/3 RPM	FDL1056	D701	3587	X004	10587	01-0171	43587	W51-12BAA3-01	1865	WG840587	S1-FHM3587
P257-8589	3/4HP 115V 1075/3 RPM	DL1076	D278	3589	X009	10589	01-0172	43589	W51-34BAA3-01	8904	WG840589	S1-FHM3589
P257-8584	1/4HP 208-230V 1075/3 RPM	D1026	D727	3584	X001	10584	01-0173	43584	W51-14BJA3-01	1971	WG840584	S1-FHM3584
P257-8586	1/3HP 208-230V 1075/3 RPM	FD1036	D923	3586	X003	10586	01-0174	43586	W51-13BJA3-01	1972	WG840586	S1-FHM3586
P257-8588	1/2HP 208-230V 1075/3 RPM	FD1056	D703	3588	X005	10588	01-0175	43588	W51-12BJA3-01	1973	WG840588	S1-FHM3588
P257-8590	3/4HP 208-230V 1075/3 RPM	D1076	D729	3590	X010	10590	01-0176	43590	W51-34BJA3-01	8905	WG840590	S1-FHM3590
<b>MULTI HP DIRECT DRIVE BLOWER MOTORS</b>												
P257-E5460	1/2 1/3 1/4 1/5 1/6 HP 115V 1075/4 RPM	FDL6001	D2835	3463		10463	01-0698		51-23012-41	5460	WG840463	S1-FHM3463
P257-E5470	1/2 1/3 1/4 1/5 3/4 HP 115V 1075/4 RPM	FDL6002	D2832	3466		10466	01-0702			5470	WG840466	S1-FHM3466
P257-E5461	1/2 1/3 1/4 1/5 1/6 HP 208-230V 1075/4 RPM	FDL6000	D833	3464		10464	01-0699		51-23022-41	5461	WG840464	S1-FHM3464
P257-E5471	1/2 1/3 1/4 1/5 3/4 HP 208-230V 1075/4 RPM	FD6001	D2833	3467		10467	01-0701			5471	WG840467	S1-FHM3467
<b>MULTI HP CONDENSER FAN MOTORS</b>												
P257-E5462	1/3 1/4 1/5 1/6 HP 208-230V 1075/2 RPM	FE6000	D2827	3465		10465	01-0695		51-23053-21	5462	WG840465	S1-FHM3465
P257-E5465	1/2 1/3 1/4 1/5 HP 208-230V 1075/2 RPM	FE6002		3468		10468	01-0697			5465	WG840468	S1-FHM3468
P257-E5464	1/3 1/4 1/5 1/6 HP 208-230V 825/2 RPM	FE6001	D2826	3469		10469	01-0696		51-20760-11	5464	WG840469	S1-FHM3469
P257-3458HS	High Temp 70°C MH 1/6-1/3 208-230V 1075/1 RPM	ORM5458BF		3458HS		20458				3323H		
P257-3459HS	High Temp 70°C MH 1/8-1/3 208-230V 825/1 RPM	ORM5488BF		3459HS		20459				1874H		

# Nu-Calgon

## Fall Into the Cool Season With Quality Nu-Calgon Products

### Indoor Air Quality

#### SCORPION UVC-LED Disinfecting System

- Up to 5X the life compared to standard UV bulbs
- Kills pathogens
- Toggle switch for two-run modes
- Meets UL 2998 zero ozone emission certification



Nu-Calgon P/N	Description	PRICE
4910-10	Scorpion LX15	
4910-11	Scorpion HX15	
4910-20	Scorpion CX30	



#### SCORPION CX30 Commercial Grade Scorpion



### Total System Protection

#### EasySeal ULTIMATE

- Permanently seals even larger leaks
- Rapid Fusion Technology for a stronger bond
- Easiest to install direct inject
- Works with all refrigerants
- Treats larger systems
- A2L Ready



Nu-Calgon P/N	Description	PRICE
4050-08	EasySeal Ultimate LS	
4050-05	EasySeal Ultimate SS	
4050-11	EasySeal Ultimate LS/UV	
4050-21	EasySeal Ultimate SS/UV	

#### Rx11-flush

- The industry standard for flushing refrigeration and air conditioning systems
- Ideal for system clean-up after burnouts
- Cleaning is fast, efficient and verifiable
- Flush line sets for R-410A conversions
- A2L Ready



Nu-Calgon P/N	Description	PRICE
4300-09	Rx11-flush 1 lb. can	
4300-11	Rx11-flush 2 lb. can	

### Mini Split Install and Maintenance



- Portable rinsing sprayer to rinse coil cleaner off coil
- Durable sprayer with optimal 150 psi water pressure
- Removable 4.5 gallon water tank
- High Capacity battery

**PRICE:**  
Turbo Tank 2.0  
4781-00



- Easy-to-use kit that contains service and maintenance products
- Includes everything required to clean and service up to 4 mini-splits

**PRICE:**  
Mini-Split Kit  
4151-18



## CAPACITORS



### TOTALINE® CAPACITORS

P/N	Description	Qty
P291-0504	5 MFD X 440 V	
P291-0754	7.5 MFD X 440 V	
P291-1004	10 MFD X 440 V	
P291-1254	12.5 MFD X 440 V	
P291-1504	15 MFD X 440 V	
P291-2554RS	25+5 MFD X 440 V Round	
P291-3054RS	30+5 MFD X 440 V Round	
P291-3554RS	35+5 MFD X 440 V Round	
P291-3574RS	35+7.5 MFD X 440 V Round	
P291-4054RS	40+5 MFD X 440 V Round	

P/N	Description	Qty
P291-4074RS	40+7.5 MFD X 440 V Round	
P291-4554RS	45+5 MFD X 440 V Round	
P291-4574RS	45+7.5 MFD X 440 V Round	
P291-5054RS	50+5 MFD X 440 V Round	
P291-5554RS	55+5 MFD X 440 V Round	
P291-5574RS	55+7.5 MFD X 440 V Round	
P291-6054R	60+5 MFD X 440 V Round	
P291-6074R	60+7.5 MFD X 440 V Round	
P291-8054R	80+5 MFD X 370 V Round	



### LINEBACKER CAPACITORS

P/N	Description	Qty
LCR3X440R	Motor run capacitor, 440V, round, 3µF	
LCR4X440R	Motor run capacitor, 440V, round, 4µF	
LCR5X440R	Motor run capacitor, 440V, round, 5µF	
LCR7.5X440R	Motor run capacitor, 440V, round, 7.5µF	
LCR10X440R	Motor run capacitor, 440V, round, 10µF	
LCR12.5X440R	Motor run capacitor, 440V, round, 12.5µF	
LCR15X440R	Motor run capacitor, 440V, round, 15µF	
LCR20X440R	Motor run capacitor, 440V, round, 20µF	
LCR25X440R	Motor run capacitor, 440V, round, 25µF	
LCR30X440R	Motor run capacitor, 440V, round, 30µF	
LCR35X440R	Motor run capacitor, 440V, round, 35µF	
LCR40X440R	Motor run capacitor, 440V, round, 40µF	

P/N	Description	Qty
LCD25+5X440R	Motor dual capacitor, 440V, round, 25+5µF	
LCD30+5X440R	Motor dual capacitor, 440V, round, 30+5µF	
LCD35+5X440R	Motor dual capacitor, 440V, round, 35+5µF	
LCD40+5X440R	Motor dual capacitor, 440V, round, 40+5µF	
LCD45+5X440R	Motor dual capacitor, 440V, round, 45+5µF	
LCD50+5X440R	Motor dual capacitor, 440V, round, 50+5µF	
LCD55+5X440R	Motor dual capacitor, 440V, round, 55+5µF	
LCD60+5X440R	Motor dual capacitor, 440V, round, 60+5µF	

## AMRAD UNIVERSAL REPLACEMENT CAPACITORS



P/N	Value Range	Qty
AMRAD-TURBO200	2.5 mfd to 67.5 mfd	
AMRAD-TURBO200MINI	2.5 mfd to 15 mfd	
AMRAD-TURBO200X	5 mfd to 97.5 mfd	

P/N	Value Range	Qty
AMRAD-TESS5	Up to 324 mfd	
AMRAD-TESS5EXT	Up to 324 mfd	

## START ASSIST KITS

### START THERMISTORS

P/N	Description	Qty
P421-4006	25 ohm, Totaline®	
PTC305C11L03A	Carrier Start Thermostat	



### TOTALINE® START KITS

The Kit contains the following:

- Start Capacitor
- Start Relay
- Wire Kit
- End Cap
- Bracket
- Instruction Sheet

P/N	Description	Qty
P296-0008	145-175mfd / 330V / 50 AMP	
P296-0011	189-227mfd / 330V / 50 AMP	



### SUPCO HARD STARTS

P/N	Size	Relay	Qty
SUPCO-SPP6	1/2-3 HP	PTC	
SUPCO-SPP8E	1-10 HP	Mechanical	



### RECTORSEAL KICKSTART®

P/N	Size	Relay	Qty
TO-5	1 to 3 Tons Kickstart®	Mechanical	
KS1	3.5 to 5 Tons Kickstart®	Mechanical	

## THERMOSTATS



ecobee | SmartThermostat Pro with voice control | ecobee3 lite Pro

### ECOBEE ecobee

P/N	Description	Sale	Qty
EB-STATE6P-01	ecobee SmartThermostat Pro with Voice Control (includes one Remote Sensor)	CALL	
EB-STATE3LTP-02	ecobee 3 Lite Pro	CALL	
EB-RSHM2PK-01	ecobee Remote Sensors 2 Pack	CALL	

### WHITE RODGERS™

P/N	Description	Qty
WR-1F80-0261	White-Rodgers™ Programmable Thermostat ( 1 Heat / 1 Cool)	
WR-1F82-0261	White-Rodgers™ Programmable Thermostat ( 2 Heat / 1 Cool)	
WR-1F85U-42PR	Universal (Up To 4H/2C) Programmable Thermostat	
WR-1F86-0244	White-Rodgers™ Non-Programmable Thermostat ( 1 Heat / 1 Cool)	
WR-1F89-0211	White Rodgers 2" (2H/1C) Heat Pump Non-Programmable Thermostat	
WR-1F95-1277	Universal Touchscreen 7-Day Programmable Thermostat (3H/2C) HP (1H/1C) AC Large Screen	

### HONEYWELL

P/N	Description	Qty
TH8320R1003	3H/2C Programmable	
TH4210U2002	2H/1C 24V Programmable	
TH4110U2005	1H/1C AC HP	
TH6320R1004	3H/2C FocusPro 6000 Wireless RedLink	
ERM5220R1018	Equipment Remote Module	

### HONEYWELL T SERIES

P/N	Description	Program Options	Power Method	Warranty	Stages	Dual Fuel	Qty	
TH6320WF2003	Lyric T6 Pro Wi-Fi	Geofencing, 7-day, 5-2, 5-1-1 or non-programmable	C-wire only	5 yrs	3H/2C Heat Pump + 2H/2C Conventional	Yes		
TH6220WF2006	Lyric T6 Pro Wi-Fi	Geofencing, 7-day, 5-2, 5-1-1 or non-programmable	C-wire only	5 yrs	2H/1C Heat Pump + 2H/2C Conventional	No		
TH6320U2008	T6 Pro	7-day, 5-2, 5-1-1 or non-programmable	Battery or C-wire	5 yrs	3H/2C Heat Pump + 2H/2C Conventional	Yes		
TH6220U2000	T6 Pro	7-day, 5-2, 5-1-1 or non-programmable	Battery or C-wire	5 yrs	2H/1C Heat Pump + 2H/2C Conventional	Yes		
TH6210U2001	T6 Pro	7-day, 5-2, 5-1-1 or non-programmable	Battery or C-wire	5 yrs	2H/1C Heat Pump + 1H/1C Conventional	No		
THX321WFS3001W/U	T10 Pro Wi-Fi	Geofencing, Red-LINK 3.0, Includes Room Sensor	Battery or C-wire	5 yrs	3H/2C Heat Pump + 2H/2C Conventional	Yes		
THP2400A1050/U	Decorative Cover Plate Assembly, 2 Plates for T Series Thermostat							



**APRILAIRE**

P/N	Description	Qty
RP-S86NMU	Multi-Stage Heat Pump Programmable	
RP-S86NMUPR	Multi-Stage Heat Pump Programmable with IAQ Relay	
RP-S86WMUPR	Multi-Stage Heat Pump Programmable IAQ WiFi	
RP-S84N1H1C	Programmable Thermostat Single Stage 1H/1C	
RP-S84NSU	7-Day Programmable Thermostat 1H/1C & 2H/1C Heat Pump	

**FAN CONTROL**



**FAN CONTROL BOARDS**

P/N	Description	Qty
ICM-271C	ICM Control Board Blower Carrier Fan Del	
ICM-277C	Blower Control Replaces Goodman B1370735S	
ICM-282B	ICM Control Board Furnace Fixed Speed	
ST9120U1011	Universal Electronic Fan Timer	

**RELAYS**

**TRANSFORMER RELAYS**

P/N	Description	Qty
P211-4012	115V Fan Control Center Relay	
P211-4015	230V Fan Control Center Relay	



**SINGLE POLE FAN RELAYS — SIMILAR TO TYPE 84 FAN RELAYS**

P/N	Description	Contact Rating	120/250 VAC	Qty
P283-0360	SPDT, 24V Coil	8 AMPS (IND.)	16 AMPS (RES.)	
P283-0293	SPDT Contact, 24V Coil	8 AMPS (IND.)	8 AMPS (RES.)	
P283-0294	SPDT Contact, 110/120V Coil	Continuous	N/A	
P283-0295	SPDT Contact Form, 208/240V Coil	18 AMP Rush	N/A	

**TWO POLE FAN RELAYS**

P/N	Description	Terminals 1-2-3	Terminal 4-5-6	Qty
P283-0340	24V Coil	Power	Power	
P283-0341	110/120V Coil	Power	Power	
P283-0342	208/240V Coil	Power	Power	

**NO/NC RELAYS**

P/N	Description	Contact Arrangement	Qty
P283-0380	24V Coil Center Relay	SPNO-SPNC	
90-290Q	24V Coil White Rodgers™ Fan Relay	SPNO-SPNC	

**TIME DELAY RELAYS**

P/N	Description	Qty
P284-2387	Relay Time Delay 5min Fixed on Break 24V T Line 1.5A	

**TRANSFORMERS**

**CONTROL TRANSFORMERS**

- For Low and Medium VA Requirements
- Use to Step Down Voltage for Control Circuits
- Large Selection of Ratings and Mounting

P/N	Fig	VA Rating	Primary Volts	HZ	Secondary Volts	Qty
P201-3401	A	40	120/208/240	50/60	24	
P201-35150	C	50	120/208/240	50/60	12/24	
HT01AW230	A	60	200/300	60	24	
P201-4701*	B	75	120/208/240/480	50/60	24	

\*Has Built-In Circuit Breaker.

## CONTROL WIRE



### THERMOSTAT WIRE

P/N	Gauge/Conductors	Spool Length	Qty
WIRE-18/2UL SPOOL	18/2	500 ft.	
WIRE-18/4UL SPOOL	18/4	250 ft.	
WIRE-18/5UL SPOOL	18/5	250 ft.	
WIRE-18/8UL SPOOL	18/8	250 ft.	
WIRE-20-2UL SPOOL	20/2	500 ft.	
WIRE-20-4UL SPOOL	20/4	250 ft.	
WIRE-20-5UL SPOOL	20/5	250 ft.	
WIRE-20-8UL SPOOL	20/8	250 ft.	



### MINI-SPLIT CABLE

- |  |   |
|--|---|
| <b>Conductors:</b><br><ul style="list-style-type: none"> <li>• 14 AWG STR 19/.0147" Bare Copper</li> </ul>   | <b>Jacket:</b><br><ul style="list-style-type: none"> <li>• Black PVC</li> </ul>                             |
| <b>Insulation:</b><br><ul style="list-style-type: none"> <li>• PVC with Nylon</li> <li>• Black, White, Red and Green</li> <li>• Twisted and Cabled with Poly Fibers</li> </ul> | <b>Packaging:</b><br><ul style="list-style-type: none"> <li>• 250ft Wooden Reel, 150lbs Capacity</li> </ul> |
|  | <b>Rating:</b><br><ul style="list-style-type: none"> <li>• 600V</li> </ul>                                  |

P/N	Sale	Qty
WIRE-14-4 SPOOL	CALL	



## CONTACTORS



### SINGLE POLE CONTACTOR

P/N	Coil VAC	Amps	Terminal Type	Length in. (cm.)	Height in. (cm.)	Qty
P282-0311	24	30	Screw Terminals & Shunt	3.3 (8.38)	2.3 (5.84)	
P282-0411	24	40	Lug Terminals	3.3	2.38	



### TWO POLE CONTACTOR

P/N	Coil VAC	Amps	Terminal Type	Length in. (cm.)	Height in. (cm.)	Qty
P282-0321	24	30	Screw Terminals	3.3 (8.38)	2.5 (6.35)	
P282-0322	120	30	Screw Terminals	3.3 (8.38)	2.5 (6.35)	
P282-0323	208/240	30	Screw Terminals	3.3 (8.38)	2.5 (6.35)	
P282-0421	24	40	Screw Terminals	3.3 (8.38)	2.5 (6.35)	
P282-0422	120	40	Screw Terminals	3.3 (8.38)	2.6 (6.60)	



### THREE POLE CONTACTOR

P/N	Coil VAC	Amps	Terminal Type	Length in. (cm.)	Height in. (cm.)	Qty
P282-0331A	24	30	Screw Terminals	3.4 (8.64)	2.6 (6.60)	
P282-0431A	24	40	Lug Terminals	3.4 (8.64)	2.6 (6.60)	

## ELECTRICAL SUPPLIES



### POWER SWITCHES

P/N	Type	Qty
DT-DDS-60U	Non-Fused 60 Amp Disconnect	
DT-625-CS120W	20A Toggle Switch, 120V, single pole, white	



### ELECTRICAL WHIPS

P/N	Sizes	Qty
MARS-84135	1/2" x 6 ft.	
MARS-84137	3/4" x 6 ft.	

TRUCK STOCK & TOOLS

TRUCK STOCK & TOOLS



### FUSES

P/N	Sizes	Qty
0ATO003.V	3 Amp Fuses-Packs	
0ATO005.V	5 Amp Fuses-Packs	

### SURGE PROTECTORS

P/N	Sizes	Qty
RECT-96414	RSH-120 Whole Home Surge Protective Device (SPD)	
RECT-96415	RSH-50 Surge Protective Device	
RECT-96421	RSH-50 VRM Kit-Surge + VRM + Box	
RECT-96424	Surge Protector	



### WIRE NUTS

P/N	Sizes	Qty
NSI-WC-B-C	Wire Nuts-Blue 100 CT BOX	
NSI-WC-R-C	Wire Nuts-Red 100 CT BOX	
NSI-WC-Y-C	Wire Nuts-Yellow 100 CT BOX	
NSI-WC-O-C	Wire Nuts-Orange 100 CT BOX	
NSI-WWC-B-C	Wire Nuts-Blue Winged 50 CT BOX	



### CONDUIT & CONNECTORS

P/N	Sizes	Qty
DT-750-12100	100ft. DiversiTite Conduit, 1/2in.	
DT-750-34100	100ft. DiversiTite Conduit, 3/4in.	
DT-750-SLTC50	Straight Screw-On Fitting, 1/2in.	
DT-750-SLTC75	Straight Screw-On Fitting, 3/4in.	
DT-750-SLTC9050	90 degree, screw-on fitting, 1/2in.	
DT-750-SLTC9075	90 degree, screw-on fitting, 3/4in.	
DT-750-RC841	3/8in. romex connector for 1/2in. knockouts	
DT-750-RC842	3/4in. romex connector for 3/4in. knockouts	

## REFRIGERATION SUPPLIES



### HEAT PUMP FILTER DRYER

Available in two basic sizes. Totaline™ New Bi-Directional Filter-Drier provides heat pump system protection in heating and cooling cycles summer and winter, with one compact unit. It reduces complex piping and the resulting costs.

- Removes Moisture, Acids and Solids
- Bi-Directional... Eliminates Need for External Check Valves
- Sealed Type
- Safe Working Pressure – 500 PSIG
- May be Mounted in Any Position
- Desiccant – Molecular Sieve and Activated Alumina
- Solid Copper Sweat Connections

P/N	Desiccant Volume (cu. in.)	Conn Size-type (in.)	Flow Capacity Tons R-22	Length (in.)	Shell Diameter (in.)	Qty
P504-H083S	8	3/8 ODF	5	3-7/8	2-15/16	
P504-H163S	16	3/8 ODF	7.4	4-9/16	2-7/8	
P504-H164S	16	1/2 ODF	8	4-9/16	2-7/8	



### LIQUID LINE FILTER DRYERS – SWEAT

Totaline™ Super Clean SC-Plus Liquid Line Filter-Driers protect the refrigerant systems from liquid and solid contaminants. Totaline Filter-Driers incorporate a specially blended desiccant for maximum moisture and acid removal. Full flow fittings for low pressure drop.

P/N	Description	Connection Size-type (in.)	R-22	Qty
P502-C083S	3/8" Sweat Liquid Line Filter Drier	3/8 ODF-1/2 ODM	2	
P502-C163S	3/8" Sweat Liquid Line Filter Drier	3/8 ODF-1/2 ODM	3	
P502-C164S	1/2" Sweat Liquid Line Filter Drier	1/2 ODF-5/8 ODM	5	
P502-8303S	3/8" Sweat Liquid Line Filter Drier	3/8 ODF-5/8 ODM	7/1/02	
P502-C304S	1/2" Sweat Liquid Line Filter Drier	1/2 ODF-5/8 ODM	7/1/02	
P502-C305S	5/8" Sweat Liquid Line Filter Drier	5/8 ODF	7/1/02	
P502-8306S	3/4" Sweat Liquid Line Filter Drier	3/4 ODF	7/1/02	
P502-C307S	7/8" Sweat Liquid Line Filter Drier	7/8 ODF	10	

### SUCTION LINE FILTER DRIERS

- U.L. Listed
- Dual Access Valve
- Provides Maximum Acid and Moisture Removal

P/N	Connection Size-type (in.)	Dimensions			Capacity (tons)			Qty
		A	B	C	R-12	R-22	R-502	
P503-8135SSFD	5/8 ODF	3-29/32	3-3/8	5-5/32	2-2-1/2	2-2-1/2	3/4-2	
P503-8136SSFD	3/4 ODF	4	3-3/8	5-1/4	1-2	2-1/2-3-1/4	3	
P503-8137SSFD	7/8 ODF	4-1/2	3-3/8	5-3/4	1-1/2-2	1-1/2-3	1-1/2-3	
P503-8277SSFD	7/8 ODF	6	5-1/8	7-1/2	1-1/2-3	1-1/2-4	1-1/2-4	



### COPPER TUBING

P/N	Description	Qty
TUBE-1/4X50	Tube Roll 1/4X50FT	
TUBE-3/8X50	Tube Roll 3/8X50FT	



### COPPER FITTINGS

P/N	Description	Qty
C-C38	Copper 3/8" Coupling	
C-C58	Copper 5/8" Coupling	
C-LR90L58	Copper 5/8" LR 90 Degree	
C-C34	Copper 3/4" Coupling	
C-LR90L34	Copper 3/4" LR 90 Degree	
C-LR90FL34	Copper 3/4" Street Ell	
C-C78	Copper 7/8" Coupling	
C-LR90L78	Copper 7/8" LR 90 Degree	
C-LR90FL78	Copper 7/8" Street Ell	
C-C118	Copper 1 1/8" Coupling	
C-LR90L118	Copper 1 1/8" LR 90 Degree	
C-RC118X78	Copper 1 1/8" x 7/8 Reducer	
C-C516	Copper 5/16" Coupling	



### NU-CALGON FLUSH

P/N	Description	Qty
4371-36	11 oz. Thermo Trap	
4300-08	Rx11 Starter Kit	
4300-09	Rx11 Flush Ac/R Sys, 1lb canister (3-4 tons)	
4300-11	Rx11 Flush Ac/R Sys, 2lb canister (5-7 tons)	
4300-30	Rx11 Flush Liquid 19.5 fl. oz. unpressurized	
4300-50	Rx11 Line Set Flushing Tool	
4300-89	Nu-Calgon Injection Valve Rx11	

### OILS & OTHER REFRIGERATION SUPPLIES



### MINERAL REFRIGERATION OILS

Refined oil used specifically for A/C and refrigeration. Low moisture content means less failure. Non-foaming, wax-free oil prevents plugged capillaries and sticking expansion valves.

P/N	Viscosity	Size	Qty
P903-0101	150	1 Gal	
P903-0201	300	1 Gal	



### POLYOL-ESTER OILS

Use with Non-CFC Refrigerant R-134A. Environmentally friendly. Engineered to be totally miscible with R134A over a very wide temperature range while maintaining excellent lubricating properties.

P/N	Size	Qty
	SW68	
P903-1025	1 Qt.	
P903-1001	1 Gal.	
P903-2301	SW32	
	1 Gal.	



### CENTRIFUGAL OIL — 5 GALLON DRUM

P/N	Qty
PP23BB006	



### DUAL PURPOSE VACUUM PUMP OIL

P/N	Size	Qty
UNI-42005	1 Qt	
UNI-42006	1 Gal	



### LEAK REACTANT

Quick and easy way to pinpoint gas leaks from any pressurized gas system. Thick, tacky fluid clings to surfaces — even the underside of pipes, and instantly produces easy to use, long-lasting stream of bubbles.

P/N	Size	Qty
P902-1432	1 Qt.	
P902-1401	1 Gal	

## CONDENSATE MANAGEMENT



### PVC PIPE & FITTINGS

P/N	Description	Qty
PVC-3/4X10	PVC 3/4" X10FT 200PSI Pipe	
PVC-3/4X20	PVC 3/4" X20FT 200PSI Pipe	
PVC-3/4X10 SCH 40	PVC 3/4" X10FT SCH 40 Pipe	
PVC-3/4X20 SCH 40	PVC 3/4" X20FT SCH 40 Pipe	
PVC-L34	PVC 3/4" 90° Elbow	
PVC-45L34	PVC 3/4" 45° Elbow	
PVC-TC34	PVC 3/4" Cap	
PVC-C34	PVC 3/4" Coupling	
PVC-FA34	PVC 3/4" Female Adaptor	
PVC-MA34	PVC 3/4" Male Adaptor	
PVC-T34	PVC 3/4" Tee	
PVC-PT34	PVC 3/4" P-Trap	
OAT-30891	8 oz. Rain-R-Shine PVC Cement	
RECT-55902	8 oz. PVC Cement	



### WET SWITCH FLOOD DETECTOR

- A solid state control designed to help prevent flooding by turning system off when detecting moisture due to condensate or drain leaks
- A lit LED indicates the Wet Switch is activated and has turned the unit off; reset by drying the absorbant pad and momentarily interrupting the power

P/N	Qty
WAG-WS-1	



### CONDENSATE DRAIN PAN TABS

P/N	Description	Qty
P902-42001	100 Tabs Condensate Drain Pan Tabs	



### WATER SENSOR & SWITCH

P/N	Description	Qty
TWLD3005-001/U	NA-L2 WiFi Water Sensor & Switch	



DT-PROCP-22S



DT-CP-IAP-120



DT-CP-CVMINI

### CONDENSATE PUMPS

- Vibration Dampening Feet and Motor Mounts
- Metal Hang Tabs
- Four Versatile Inlet Holes
- Easy to Understand Indicator Display
- Float Switch
- Check Valve
- Pan Pill Dispenser

P/N	Description	Qty
<b>With safety switch &amp; check valve</b>		
DT-PROCP-22S	22 ft. lift/115V	
DT-PROCP-22ST	20 ft. lift/115V, with tube	
DT-PROCP-22S-230	22 ft. lift/230V	
DT-PROCP-22ST-230	230V, with tube	
DT-CP-IAP-120	22 ft. lift/120V	
DT-CP-CVMINI	Mini Split Pump	
DT-7-38P	3/8" Vinyl Tubing	
DT-B-4H	7/32-5/8" Hose Clamp	



## Condensate Management

# NOW STOCKING

### Ultra Pumps



- FEATURES:**
- Translucent Tank for Easy & Fast Inspection
  - Removable Check Valve for Easy Cleaning

### Pro Pumps



- FEATURES:**
- Handles Condensate up to 160° F
  - Built-in Safety Overflow Switch
  - Sturdy Metal Hang Tabs

### Overflow Switches



- LED Illuminates when Condensate Line is Blocked

### Wet Switch



- Connect Multiple Switches to Expand Protection Area

### Latching Switches



- Prevents Short Cycling
- Checks and Measures Water Levels

CHECK OUT the Asurity® End Caps at all Mingledorff's locations

**NOW STOCKING**



### The Asurity® Promise

- ADDED PROTECTION WHEN YOU REGISTER YOUR INSTALL
- Up to \$2500 coverage against water damage claims
  - Extended Coverage with 3-year maintenance agreement
  - Up to \$2500 coverage against water damage claims

For full coverage details visit [asurityhvacr.com/promise](http://asurityhvacr.com/promise)



YOUR COMPLETE SYSTEM FOR CONDENSATE MANAGEMENT




DiversiTech Corporation  
Duluth, GA 30097

[diversitech.com](http://diversitech.com)  
9924

P/N	Description	Qty
DT-ULTRACP-22	Ultra Series Condensate Pump 22 ft. lift/115 Volt	
DT-CS-1	Overflow Switch - Tee	
DT-CS-2	Overflow Switch - Elbow	
DT-WS-1	Wet Switch	
DT-BG-101	Float Switch	
DT-BG-301	Latching Float Switch	



Take Control of Your HVAC!



iFLO PRO® APP



# Smart Automated A/C Drain Pan & Drain Line Cleaning System

Find us at [www.iflopro.com](http://www.iflopro.com)





# DRAIN IV™

Patent Pending

## THE ULTIMATE SOLUTION to keeping HVAC drain lines clear and clog free

**DRAIN IV** helps prevent clogs that lead to A/C shutdowns, overflowing drain lines, and drain pans that leak into walls and onto floors causing mold, mildew, and expensive damage!

**"COMBATS SLIME"**  
(INCLUDING WHITE ZOOGLA)

### NEW Features Include

- ✓ Magnet mount installation bracket
- ✓ New default programming capability
- ✓ New 24V converter with larger input voltage range
  - 16-32VDC
  - Supports both 50Hz and 60Hz
- ✓ New 24V converter, with 10' USB type C cord, all in one unit
- ✓ 6 month IV bag concentrate included



**PART NUMBER:  
DRAINIV-SYS-2**

**CONCENTRATE REFILL:  
DRAINIV-IV-BAG-CON-1**

Recommend refill every 6 months for optimal results

## CLEANING SUPPLIES & COIL CLEANERS



### COIL CLEANER

P/N	Description	Qty
<b>TOTALINE COIL CLEANERS</b>		
P902-1001	Indoor Coil Cleaner Concentrate 1 Gal	
P902-0301	Environmentally Sound Evap. and Cond. Coil Cleaner 1 Gal	
P902-1801	Triple Clean 1 Gal	
P902-0101	Condenser Coil Cleaner Non-Acid Concentrate 1 Gal	
P902-1325	32 oz. Solvent Cleaner & Degreaser 1 Qt	
<b>DIVERSITECH COIL CLEANERS</b>		
DT-PRO-GREEN	Evaporator Cleaner 1 Gal	
DT-PRO-BLUE	Condenser Cleaner - Blue 1 Gal	
DT-TRIPLE-D	Triple D Coil Cleaner 1 Gal	
<b>NU-CALGON COIL CLEANERS</b>		
4191-08	Evap-Power 1 Gal	
4171-75	Evap Foam No Rinse Coil Cleaner 18oz	
<b>MISC CLEANING SUPPLIES</b>		
RAGS-5LBS	Cloth Rags in 5lb Box	

*Don't see your preferred coil cleaner? It may still qualify for PreSeason! Contact your TM or store personnel to confirm.*

### TOTALFRESH II ODOR NEUTRALIZER

- Eliminates Odors and Air Contamination
- Draws the Smell out of the Air to Give You a Clean and Healthful Atmosphere
- Light Odor — 1/2 to 1lb/400sqft
- White Colored
- Inhibits the Growth of Certain Molds and Bacteria
- Pleasant Scent

P/N	Description	Qty
P902-39009	1/2 lb Tub – pleasant scent, white colored	

### IFLO PRO DRAIN PAN AND LINE CLEANING

P/N	Description	Qty
IFLOCOM01	iFlo Pro Battery Kit	
IFLOPRO01	iFlo Pro 24 Volt Kit	
IFLO36PRO	iFlo Pro Formula 36oz 6 Months	
IFLO72PRO	iFlo Pro Formula 72oz 12 Months	
IFLOFLOAT01	Float Switch Monitor	

**DRAINIV DRAIN PAN AND LINE CLEANING**

P/N	Description	Qty
DRAINIV-SYS-2	Drain Line Cleaner Kit	
DRAINIV-BAG-CON-1	Drain Line Cleaner Solution	

**COMPRESSORS**

**COPELAND UNIVERSAL SCROLL COMPRESSORS**



P/N	BTU/HR	Run Cap	Height	RLA	Suction	Discharge
<b>208/230 – SINGLE PHASE – R-22</b>						
ZR21K5E-PFV-830	21,000	35/370	15.9"	12.0	3/4"	1/2"
ZR25K5E-PFV-830	25,300	40/370	15.9"	15.0	3/4"	1/2"
ZR28K5E-PFV-830	28,400	45/370	15.9"	15.7	3/4"	1/2"
ZR32K5E-PFV-830	32,600	50/370	15.9"	17.1	3/4"	1/2"
ZR38K5E-PFV-830	38,000	55/370	16.9"	21.4	7/8"	1/2"
ZR42K5E-PFV-830	42,200	55/370	16.3"	22.1	7/8"	1/2"
ZR44K5E-PFV-830	44,000	60/370	16.9"	22.5	7/8"	1/2"
ZR48K5E-PFV-830	48,200	60/440	16.9"	24.3	7/8"	1/2"
ZR54K5E-PFV-830	53,500	80/370	16.9"	28.2	7/8"	1/2"
ZR57K3E-PFV-830	58,000	80/370	17.8"	32.1	7/8"	1/2"
ZR61K3E-PFV-830	62,000	80/370	17.8"	32.1	7/8"	1/2"
<b>208/230 – 3 PHASE – R-22</b>						
ZR68KCE-TF5-950	70,000	N/A	17.8"	20.7	7/8"	1/2"
ZR72KCE-TF5-950	73,500	N/A	17.8"	20.7	7/8"	1/2"
ZR94KCE-TF5-950	96,500	N/A	18.8"	32.1	1-1/8"	7/8"
ZR108KCE-TF5-950	109,000	N/A	21.0"	33.6	1-3/8"	7/8"
ZR125KCE-TF5-950	128,000	N/A	21.0"	41.4	1-3/8"	7/8"

**TOOLS**



APPION-TZMDZN    RIT-93870    JB-DV-6E    APPION-TEZ8    RIT-93760    JB-DV-200N

**VACUUM PUMPS**

P/N	Mfg.	Description	Qty
APPION-TEZ8	APPION	Vacuum Pump 8 CFM	
APPION-TZMDZN	APPION	TEZ8 Oil Cartridge	
RIT-93760	RITCHIE	A2L Supervac Plus II-6 CF Vacuum Pump	
RIT-93870	RITCHIE	A2L Bullet DC 7 CFM Vacuum Pump	
JB-DV-6E	JB	Vacuum Pump Eliminator 6 CFM 1 STG	
JB-DV-200N	JB	Platinum 7 CFM Vacuum Pump	
JB-DV-340N	JB	A2L 12 CFM Platinum Beast Vacuum Pump	
NAVAC-NRP6DI	NAVAC	Vacuum Pump 6 CFM DC Digital Control W/M	
NAVAC-NRP8DI	NAVAC	Vacuum Pump 8 CFM DC Digital Control W/M	

**APPION RECOVERY UNIT**



APPION-G5TWIN

- High Recovery Rates
- Maximum Airflow
- Twin Cylinder for Rapid Recovery
- Twin Condenser for Maximum Cooling
- Handles Most All Refrigerant Including R410A
- Lightweight (24lbs)
- 550PSI Shut Off Switch
- Rugged Case with Soft Gripping Handle

P/N	Mfg.	Qty
APPION-G5TWIN	APPION	

**NAVAC RECOVERY UNITS**



NAVAC-NRDD

P/N	Mfg.	Qty
NAVAC-NRDD	NAVAC	
NAVAC-NRDDF	NAVAC	



UNI-KC100PT

**UNIWELD® BRAZING TOOLS**

P/N	Description	Qty
UNI-KC100PT	Centurion® Oxy-Acetylene Brazing Outfit w/ tanks Includes: H32A 12 1/2' Twin Hose, WG53 Goggles, FL34 Flint Lighter, W05 Tank Key	
UNI-KC100P	Centurion® Oxy-Acetylene Brazing Outfit w/out tanks Includes: H32A 12 1/2' Twin Hose, WG53 Goggles, FL34 Flint Lighter, W05 Tank Key	
UNI-RHP400	Torch Regulator 20-400 PSI	
UNI-FL34	Single Flint Lighter	
UNI-17-1	Torch Tip – Type 17-1, V-Style, Single Flame #1 size	
UNI-17-2	Torch Tip – Type 17-2, V-Style, Single Flame #2 size	



**GAUGES, MANIFOLDS AND HOSES**

P/N	Description	Qty
<b>YELLOW JACKET</b>		
RIT-30260	A2L Yellow Hose 60" 1/4" LH to 1/4" RH, 45 degree	
RIT-30460	Yellow Jacket Yellow A2L 60" Charging Hose with Ball Valve	
RIT-30660	Yellow Hose 60" 1/4" LH to 1/4" RH, 90 degree	
RIT-40860	P51-860 Titan Digital Manifold	
RIT-40870	A2L P51-870 Titan Digital Manifold	
RIT-40875	Titan Manifold with Hoses	
RIT-42035	Yellow Jacket Series 41 R32/454B/410A Manifold, A2L	
RIT-42036	Yellow Jacket Series 41 R32/454B/410A Manifold with 60" Hoses, A2L	
RIT-29985	Yellow Jacket 5' Hose 3 Pck with Ball Valve	
RIT-19124	A2L 1/4" Charging Hose Adaptor, Straight	
RIT-19204	A2L 1/4" Charging Hose Adaptor, 90 degree	
RIT-19180	A2L 1/4" Charging Hose Adaptor, 45 degree	
<b>NAVAC</b>		
NAVAC-N2D4H	NAVAC Manifold Gauge with 60" Hose and Digital Display	
<b>FIELDPIECE</b>		
FP-SM382V	3-Port Digital Manifold with Micron Gauge	
FP-SM482V	4-Port Digital Manifold with Micron Gauge	
<b>APPION</b>		
APPION-PTC900	Pressure Temperature Compound Gauge PTC900	



FP-SRS3C FP-SRS1



RIT-69320

**SCHRADER CORE REMOVAL TOOLS**

P/N	Description	Qty
APPION-MGAVCT	1/4" MegaFlow Core Tool	
RIT-18975	Core Tool	

**REFRIGERANT TOOLS**

P/N	Description	Qty
<b>FIELDPIECE</b>		
FP-SR47	Wireless Refrigerants Scale for HVACR	
FP-SRS1	Residential, Light Commercial Refrigerant Scale	
FP-SR33	Job Link Refrigerant Scale with Remote	
FP-DR58	Heated Diode Refrigerant Leak Detector	
FP-DR82	Infrared Refrigerant Leak Detector	
<b>YELLOW JACKET</b>		
RIT-68864	Wireless Refrigerant Scale	
RIT-69320	A2L Accuprobe IR Refrigerant Leak Detector	

**45°**  
**RIT-19180**

**90°**  
**RIT-19204**

**Straight**  
**RIT-19124**

**Get prepared for the refrigerant transition with these left-handed A2L tank adapters!**



### HAND TOOLS

P/N	Description	Qty
<b>HILMOR</b>		
HIL-9IN1SV	HVAC Multi-Tool 9 in 1	
HIL-AW10	10in Adjustable Wrench	
HIL-AW12	12in Adjustable Wrench	
HIL-BKB	Backpack Tool Bag	
HIL-HT	HVAC/R Tote	
HIL-CBK	Compact Bender Kit	
HIL-CBRBM	Compact Bender Reverse	
HIL-DCP7	7in Diag Cutting Plier	
HIL-SHSM2PC	Nut Driver Set 1.5in	
HIL-SMTBC5	5 Blade Crimper	
HIL-SMTCTTT	Cable Tie Tension Tool	
HIL-SMTDK	Duct Knife	

P/N	Description	Qty
<b>YELLOW JACKET</b>		
RIT-60278	Flare Tool Deluxe	
RIT-60460	Swaging Tool Step Down	
RIT-60590	Fan Blade Puller 1-3/4in	
RIT-60609	Service Wrench Adapter	
RIT-60610	Service Wrench 3/16 x 5/16	
RIT-60613	Straight Service Wrench	
RIT-60616	Service Wrench Offset	
<b>KLEIN</b>		
KLE-ET120	Combustible Gas Leak Detector	
KLE-IR07	Dual IR Probe Thermometer	
KLE-IR1	Infrared Digital Thermometer with Target	
<b>UNIWELD</b>		
UNI-70078	Tubing Cutters	

## PLUMBING & ELECTRICAL

### NEED PLUMBING OR ELECTRICAL SUPPLIES? WE'VE GOT YOU COVERED.

Maintaining an inventory for multiple trades can be a hassle. Not to mention the headache of driving between supply houses to get everything you need. Wouldn't it be great if all your HVAC, plumbing and electrical purchases were made at the same place, with the same people? We want Mingledorff's to be your one-stop shop. That's why we're proud to add plumbing and electrical equipment, parts, supplies and tools to our extensive line of HVAC products and services. Ask your TM for more information, stop by one of our 35 locations or visit [singlesource.mingledorffs.com](http://singlesource.mingledorffs.com) to view our local inventory, 24/7.



### PLUMBING

- Water Heaters
- Valves
- Kitchen Faucets
- Flood Prevention
- Plumbing Tools
- Pipes & Fittings
- Pumps
- Replacement Parts
- Drains Openers
- Garbage Disposals
- Toilets
- Gas Connections

P/N	Description	Qty
TS2301	Tricklestar WiFi Electric Water Heater Controller	

### ELECTRICAL

- Switches
- Receptacles
- Plates & Covers
- Boxes
- Wire & Cords
- Romex
- Conduit & Fittings
- Breakers & Fuses
- Power Generators
- Load Centers
- Panels
- Wire Connections

TRUCK STOCK & TOOLS

# BOOST YOUR SALES with **Honeywell** | Generators Exclusive Offers for Mingledorff's Dealers

- Installation Training
- In-Home Sales Training
- Financing Available
- 5-Year Bumper-to-Bumper Parts & Labor Warranty

## FREE

7-Year Warranty Upgrade

LIMITED TIME OFFER!

\$735 Dollar Value!

Terms and conditions apply.  
Visit [honeywellgenerators.com](http://honeywellgenerators.com)  
to learn more.



**ORDER NOW!**

Honeywell | Generators

TRUCK STOCK & TOOLS

**TWO TIER PROMOTION**  
**2025**  
MARCH 1 - MAY 31, 2025

**TIER 1**  
BUY ANY TIER 1 PRODUCTS &  
**GET A FREE SP-MC**  
COMPACT, ZIPPERED SERVICE TECH TOOL POUCH

**TIER 2**  
BUY ANY TIER 2 PRODUCTS &  
**GET A FREE SC45**  
SMALL, SEMI-RIGID, MULTI-FUNCTIONAL POUCH

NEW 2025 \$us160 VALUE

NEW 2025 \$us90 VALUE

TOOLS NOT INCLUDED

Contact your local Mingledorff's representative to get in on this promotion while you can!



SCAN ME

or click here

Scan the QR code to learn more about this Two-Tier Promotion!



## INDOOR AIR QUALITY

STOCK UP ON INDOOR AIR QUALITY PRODUCTS WHILE SUPPLIES LAST.

40 – 55

"DEHUMIDIFICATION"	44 – 45
"HUMIDIFICATION"	45 – 46
"AIR FILTRATION"	46 – 48
"FRESH AIR VENTILATION"	49
"AIR PURIFICATION"	50 – 55



# INDOOR AIR QUALITY



**March 24 through May 30 2025**



**FREE\***

**YETI Tundra 35 cooler (\$299 value) when you buy 8ea 7-50DR units.**



**MUV7-50DR**  
Remote Multivoltage  
UV Germicidal Air  
Purifier with Odor Control  
Two twin-tube lamps deliver  
up to three times more microwatts  
than a single-tube lamp.

\* Maximum of 3 coolers per dealer.

**PREMIER ONE™ PRODUCTS**

P/N	Description	Qty
MUV-7-50DR-12	40-Microwatt 3-Piece 12" Remote Germicidal with Odor Control	
P6100-13X21.5	Whole House Polarized-Media Air Cleaner 13 x 21.5 x 1 w/3 Media Changes Carrier/Bryant	
P6100-19.87X21.5	Whole House Polarized-Media Air Cleaner 18 x 18 x 1 w/3 Media Changes Carrier/Bryant	
P6100-2020	Whole House Polarized-Media Air Cleaner 18 x 18 x 1 w/3 Media Changes Carrier/Bryant	

# AprilAire

## SPRING INTO SAVINGS

Get ahead this season with exclusive national promotions! Stock up and save with our best offers on ACs, dehumidifiers, and Wi-Fi models from March through August. Don't miss out on these limited-time deals!



Learn More at  
[aprilairpartners.com](http://aprilairpartners.com)



BUY 10, GET 1  
**FREE**  
AprilAire Air Cleaners

March-May 2025



BUY 4, GET 1  
**FREE**  
Dehumidifier

April-May 2025



BUY 6, GET 1  
**FREE**  
Wi-Fi Dehumidifier  
& S86WMUPR Thermostat

June-August 2025



BUY 6, GET 1  
**FREE**  
Dehumidifier

June-August 2025

INDOOR AIR QUALITY

INDOOR AIR QUALITY

## DEHUMIDIFICATION



### APRILAIRE DEHUMIDIFIERS

P/N	Description	Qty
RP-MODEL E050	50 Pint Compact Professional-Grade Dehumidifier, 10"x10"x25"	
RP-MODEL E070	70 Pint Professional-Grade Crawl Space Dehumidifier	
RP-MODEL E080	80 Pint Professional-Grade Dehumidifier	
RP-MODEL E130	130 Pint Whole Home Professional-Grade Dehumidifier	
RP-MODEL E070W		
RP-MODEL E080W		
RP-MODEL E100W		



### HONEYWELL DEHUMIDIFIERS

P/N	Description	Qty
DR65A3000/U	65 Pint Whole House Dehumidifier	
DR90A3000/U	90 Pint Whole House Dehumidifier	
DR120A3000/U	120 Pint Whole House Dehumidifier	

## FIELD CONTROLS DEHUMIDIFIERS

P/N	Description	Qty
602617201	60 Pint Whole House Dehumidifier with collar	
602617202	85 Pint Whole House Dehumidifier with collar	
602617203	120 Pint Whole House Dehumidifier with collar	

## HUMIDIFICATION



### HUMIDIFIERS BY HONEYWELL

Highly recommended if those living in your home ever experience:

- Dry Skin
- Dry Nasal Passages
- Dry or Scratchy Throat
- Chapped Lips
- Unpleasant Shocks from Carpet or Electronics
- Static Cling

Or if your home has:

- Hardwood Flooring
- Wood Furnishings
- Paintings or Artwork
- Musical Instruments
- Uncomfortable Temperatures in Winter
- High Utility Bills

P/N	Description	Qty
HM750A1000/U	Advanced Electrode Humidifier	

### HONEYWELL REPLACEMENT CANISTERS

P/N	Description	Qty
HM750ACYL/U	HM750 Replacement Canister	

### HUMIDISTATS



Set it and forget it.

- Automatic Humidification Control with Advanced Window Protection
- Optional Manual Humidification or Dehumidification Control
- Simplified Wiring, Installation and Programming
- Large, Clear, Backlit Display

P/N	Description	Qty
H6062A1000	Honeywell HumidiPRO Digital Humidity Control	

**Protect your home from mold, mildew, and excess humidity with our advanced dehumidifier.**

Ensure a healthier living space by reducing moisture levels and preventing the growth of harmful mold and mildew with our state-of-the-art dehumidifiers

Buy 5  
Get 1  
Free

Learn more about our Dehumidifiers

[Click Here](#)

INDOOR AIR QUALITY

INDOOR AIR QUALITY





**HUMIDIFIERS BY APRILAIRE**

P/N	Description	Qty
RP-MODEL 800	AprilAire Residential Steam Humidifier up to 34.6 GPD/1.4 GPH	
RP-MODEL 865	AprilAire Steam Ductless Humidifier up to 34.6 GPD/1.4 GPH	
RP-MODEL 300	AprilAire Self-Contained Evaporative Humidifier, 0.5GPH	
RP-MODEL 720M	AprilAire 720M Fan Powered Evaporative Humidifier	
RP-80	Series 800 Canister	
RP-76	Model 76 Humidistat	
RP-10	AprilAire Water Panel 10	
RP-12	AprilAire Water Panel 12	
RP-35	AprilAire Water Panel 35	
RP-45	AprilAire Water Panel 45	

**AIR FILTRATION**

**APRILAIRE AIR CLEANERS**



P/N	Model	Description	Qty
RP-MODEL 1110	MODEL 1110	Air Cleaner 16 x 20 MERV 11	
RP-MODEL 1210	MODEL 1210	Air Cleaner 20 x 25 MERV 11	
RP-MODEL 1410	MODEL 1410	Air Cleaner 16 x 25 MERV 11	
RP-MODEL 1510	MODEL 1510	Air Cleaner 31 x 28 MERV 11	
RP-MODEL 1910	MODEL 1910	Air Cleaner 25 x 20 MERV 11	

**HONEYWELL POPUP REPLACEMENT MEDIA AIR FILTERS**



Honeywell Home POPUP Filters store flat and pop into shape for installation.

- Save Space on the Truck
- Less Damage during Storage
- Save Time on Assembly
- So Easy You Can Sell Over-the-Counter to Homeowners without Worry of Mistakes
- Compact Shape Makes PopUp Easy to Ship
- No Combs, Pleat Spacers or End Caps

P/N	Description	Qty
POPUP1625/U	16X25 POPUP Media Air Filter—MERV 11	
POPUP2025/U	20X25 POPUP Media Air Filter—MERV 11	
POPUP2200/U	PopUp Replacement Filter for Space-Guard - 2200—MERV 11	
POPUP2400/U	PopUp Replacement Filter for Space-Guard - 2400—MERV 11	



**FIELD CONTROLS FLEX FILTER**

Field Controls patent FlexFilters® are ultra compact, easy-to-assemble media air filters designed to replace over 40 of the most popular models. With a selection of seven high-efficiency MERV 11 and MERV 13 options, stocking, storing, shipping, and installing media air filters has never been simpler.

FLEXFILTER® REPLACEMENT GUIDE					
BRAND	FILTER MODEL	SIZE (INCHES)	FITS AIR CLEANER MODEL	REPLACEMENT FLEX MODEL	PART #
SKUTTLE®	000-0448-007 (003)	20 x 20 x 5	DB-20-20	FLEX-1 M11 FLEX-1 M13	46600407 602612201
	000-0448-008 (004)	16 x 20 x 5	DB-20-16		
	000-0448-005 (001)	16 x 25 x 5	DB-25-16	FLEX-2 M11 FLEX-2 M13	46600401 602612202
	000-0448-006 (002)	20 x 25 x 5	DB-25-20		
GENERALAIRE®	5FM2020 (4531)	20 x 20 x 5	MAC2020 / MAC2020M	FLEX-1 M11 FLEX-1 M13	46600407 602612201
	5FM1625 (4511)	16 x 25 x 5	MAC1400 / MAC1400M	FLEX-2 M11 FLEX-2 M13	46600401 602612202
	5FM2025 (4501)	20 x 25 x 5	MAC2000 / MAC2000M MAC-L		
TRION®	255649-103 / 259112-113	20 x 20 x 5	455602-225 / 455602-725	FLEX-1 M11 FLEX-1 M13	46600407 602612201
	255649-105 / 259112-105	16 x 25 x 5	455602-125 / 455602-625	FLEX-2 M11 FLEX-2 M13	46600401 602612202
	255649-102 - 259112-102	20 x 25 x 5	455602-025 / 455602-525 266380-010 / 266380-510 447380-010 / 477380-510		
ULTRAVATION®	91-013	20 x 20 x 5	90-116	FLEX-1 M11 FLEX-1 M13	46600407 602612201
	91-012	16 x 20 x 5	90-115		
	91-005	16 x 25 x 5	90-106	FLEX-2 M11 FLEX-2 M13	46600401 602612202
	91-006	20 x 25 x 5	90-107 90-064 / 90-027		
HONEYWELL®	POPUP1620	16 x 20 x 4	F100F2028 / F200E1003	FLEX-3 M11 FLEX-3 M13	46600406 602612203
	FC100A1003	16 x 20 x 4	F100F2028		
	FC200E1003	16 x 20 x 4	F200E1003		
	POPUP2020	20 x 20 x 4	F100F2036 / F200E1029	FLEX-4 M11 FLEX-4 M13	46600405 602612204
	FC100A1011	20 x 20 x 4	F100F2036		
	FC200E1011	20 x 20 x 4	F200E1029		
	POPUP1625	16 x 25 x 4	F100F2002 / F200E1011	FLEX-5 M11 FLEX-5 M13	46600402 602612205
	FC100A1029	16 x 25 x 4	F100F2002		
	FC200E1029	16 x 25 x 4	F200E1011		
	POPUP2025	20 x 25 x 4	F100F2010 / F200E1037		
FC100A1037	20 x 25 x 4	F100F2010			
FC200E1037	20 x 25 x 4	F200E1037			
CARRIER® BRYANT®	EXPXXFIL0016	16 x 25 x 4	EZXCB1016	FLEX-4 M11 FLEX-4 M13	46600405 602612204
	EXPXXFIL0316				
	EXPXXFIL0020 EXPXXFIL0320	20 x 25 x 4	EZXCB1020		
APRILAIRE®	201	20 x 25 x 4	2200, 2120	FLEX-5 M11 FLEX-5 M13	46600402 602612205
	210	20 x 25 x 4	1210, 2210, 3210, 4200, 1213, 2120 + 1213	FLEX-5.5 M11 FLEX-5.5 M13	46600408 602612215
	213				
	310	19 x 20 x 4	1310, 2310, 3310, 4300	FLEX-6.5 M11 FLEX-6.5 M13	46600409 602612216
	313				
	401	16 x 28 x 4	2400, 2140	FLEX-7 M11 FLEX-7 M13	46600404 602612207
	410				
413					



Now available in  
MERV 13



THE  
**2-in-1**  
FILTER  
FlexFilter Fits!



INDOOR AIR QUALITY

INDOOR AIR QUALITY



**SPACE-GUARD REPLACEMENT MEDIA**

FOR MODEL	P/N	Qty
2200	RP-201	
2210	RP-213	
2400	RP-401	
2410	RP-413	
5000	RP-501	



**UPGRADE KITS**

P/N	Description	Qty
RP-4893	Upgrade kit for model 2200	
RP-4894	Upgrade kit for model 2400	
RP-213 CBN	Aprilaire MERV13 + Carbon Filter for Model 1210, 1620, 2210, 2216, 4893 Upgrade Kit	
RP-413 CBN	Aprilaire MERV13 + Carbon Filter for Model 1410, 1610, 2410, 2416, 4894 Upgrade Kit	
RP-513 CBN	Aprilaire MERV13 + Carbon Filter for Model 1510, 2516	
RP-110	Aprilaire MERV11 Filter for Model 1110, 4898 Upgrade Kit	
RP-210	Aprilaire MERV11 Filter for Model 1210, 4893 Upgrade Kit	
RP-310	Aprilaire MERV11 Filter for Model 1310, 2310, 4898 Upgrade Kit	
RP-410	Aprilaire MERV11 Filter for Model 1410, 1610, 2410, 2416, 4894 Upgrade Kit	
RP-510	Aprilaire MERV11 Filter for Model 1510, 2516	
RP-910	Aprilaire MERV11 Filter for Model 1910	
RP-113	Aprilaire MERV13 Filter for Model 1110, 4898 Upgrade Kit	
RP-213	Aprilaire MERV13 Filter for Model 1210, 1620, 2210, 2216, 4893 Upgrade Kit	
RP-313	Aprilaire MERV13 Filter for Model 1310, 2310, 4898 Upgrade Kit	
RP-413	Aprilaire MERV13 Filter for Model 1410, 1610, 2410, 2416, 4894 Upgrade Kit	
RP-513	Aprilaire MERV13 Filter for Model 1510, 2516	
RP-913	Aprilaire MERV13 Filter for Model 1910	
RP-216	Aprilaire MERV16 Filter for Model 1210, 1620, 2210, 2216, 3210, 4200 & 1213 Upgrade kit	
RP-416	Aprilaire MERV16 Filter for Model 1410, 1610, 2410, 2416, 3410, 4400 & 1413 Upgrade Kit	
RP-516	Aprilaire MERV16 Filter for Model 1510, 2516	



**FRESH AIR VENTILATION**



**APRILAIRE E100V**

P/N	Description	Qty
RP-MODEL E100V	Dehumidifier 100 Pints for Ventilation	
RP-8190FF	Damper Plenum	



**APRILAIRE VENTILATION SYSTEM**

P/N	Description	Qty
RP-8126X	Ventilation Control System	



**APRILAIRE ERV SYSTEM**

P/N	Description	Qty
RP-V22BEC	Healthy Air Residential ERV System	



**APRILAIRE VENTILATOR**

Model 8145/8145NV Features:

- Manage the Quality of Your Home's Air Year-Round, with Little Effort
- Provides an Optimal Amount of Fresh Air, Customized, for Your Home, but Meets Required Building Codes
- Minimizes the Introduction of Air That's Too Hot, Too Cold, or Too Humid; If Missed, Time Can be Made up When Outdoor Conditions are More Favorable
- Energy-Efficient Way to Add Fresh Air in Your Home
- Will Not Ventilate if the Outdoor Air Will Raise Indoor Relative Humidity above 55%
- 5-Year Warranty and Requires Periodic Filter Cleaning/Replacement

P/N	Description	Qty
RP-MODEL 8145	Fresh Air Ventilator - with Control	
RP-MODEL 8145NC	Fresh Air Intake Ventilator - no Control	

INDOOR AIR QUALITY

INDOOR AIR QUALITY

AIR PURIFICATION



TADIRAN AIROW


P/N	Description	Qty
TADIRAN AIROW 3	Hydrogen Peroxide Air Cleaner	

# Revolutionize Ductless System Air Purification



The device attaches to wall-mounted and mini-split air conditioning units.

The unit creates a discharge current, breaking down oxygen molecules that react with water in the air to create hydrogen peroxide.



The AC unit distributes the hydrogen peroxide throughout the air conditioned space, reducing 99% of airborne viruses, bacteria, and mold.

## AIROW 3 SAFETY FIRST

The AIROW 3 has been tested to meet strict safety standards with hydrogen peroxide levels 50-100x below industrial limits, ensuring clean, safe air for your home.

LEARN MORE AT [www.fieldcontrols.com](http://www.fieldcontrols.com)



Create **Healthy,**  
**Efficient,** and  
**Resilient** Spaces.

NPBI® and smartIAQ™ solutions from GPS Air® make it easy to improve air quality while reducing both equipment and energy costs.

Learn more at [gpsair.com](http://gpsair.com)  
IAQP | Pathogens | Particles | Odors

INDOOR AIR QUALITY

INDOOR AIR QUALITY



**GPS BIPOLAR IONIZATION AIR PURIFICATION**

P/N	Description	Qty
GPS-DM48-AC	Auto-Cleaning Needlepoint Bipolar Ionization Air Purification Device 24-240 volts; Duct Mounted; up to 12 tons	
GPS-FC48-AC	Compact Auto-Cleaning Ionization System; 24 - 240 volts; Internally Mounted; up to 12 tons	
GPS-FC24-AC	Compact Auto-Cleaning Ionization System; 24 - 240 volts; Internally Mounted; up to 6 tons	
GPS-IRIB-36	Flexible Ion Bar Air Purification Device (36 inch); 110 - 240 volts; Internally Mounted; up to 8 tons	
GPS-IRIB18	Flexible Ion Bar Air Purification Device (18 inch); 110 - 240 volts; Internally Mounted; up to 8 tons	
GPS-DM-2	Duct Mount Auto-Clean Needle Point Bi-polar Ionization System	
GPS-DM-S	Duct Mount Saddle for Ionization System	
GPS-TI-2	Self-Cleaning Needle Point Bi-polar Ionization System	
GPS-PS-2	Power Supply Transformer for Needle Point Bi-polar Ionization	



**SOLARIS IONIZER**

P/N	Description	Qty
SLX-PG5T	Solaris Micro-Particulate and Air Ionizer	



**SOLARIS UV LIGHTS**

P/N	Description	Qty
SLX-AAL-17	Solaris Add A Lite Upgrade	
SLX-AAL-12	Solaris Add A Lite Upgrade	

**SOLARIS AIR PURIFIER**

P/N	Description	Qty
SLX1024	Solaris PCO Air Purifier 24V with 4NP Ion Generator - Stand Alone Model	



★ Free program with a qualifying order ★

★ Ships directly to you ★

★ Priority access to new products and promotions ★



SIGN UP HERE



TO LEARN MORE CONTACT RGF AT RBRODERICK@RGF.COM

INDOOR AIR QUALITY

INDOOR AIR QUALITY



**SOLARIS IONIZER**

P/N	Description	Qty
SLX-POWERPRO-4LV	UVC System Control Center Capable of Powering up to 4 Remote 12" or 17" Germicidal Lamps, Including Performance Indicator, 120-277VAC	
SLX-PWP4-CAT	UVC System Control Center Capable of Powering up to 4 UVC Systems Including Performance Indicator, 120-277VAC Includes PCO Air Purifier using Activated Carbon	
SLX-PWP4-LED	UVC System Control Center Capable of Powering up to 4 UVC Systems Including Performance Indicator, 120-277VAC Includes Ion Generator with TI02 Infused Carbon PCO LED Technology	
SLX-PWP4-PCO	UVC System Control Center Capable of Powering up to 4 UVC Systems Including Performance Indicator, 120-277VAC Includes PCO Air Purifier with 4NP Ion Generator	



**NEW! REME HALO ZERO**

P/N	Description	Qty
HVAC-REME-H-ZERO	REME HALO® ZERO Whole Home In-Duct Air Purifier (1,000 – 6,500 CFM)	




**REME HALO LED**

P/N	Description	Qty
HVAC-REME-LED	HALO-LED™ Whole Home In-Duct Air Purifier (250 – 6,500 CFM)	
HVAC-HLED-AS	Air Sensing Kit for on/off with fan on communicating systems	



**REME HALO**

P/N	Description	Qty
HVAC-REME-H	REME HALO® Whole Home In-Duct Air Purifier (1,000 – 6,500 CFM)	



**PACKAGE PHI UNIT -AIR PURIFICATION SYSTEMS**

P/N	Description	Qty
HVAC-PHI-PKG5-24V	250 – 1,200 CFM; Up to 3.5 ton; 2.25"W x 10.5"L x 1.7"D	
HVAC-PHI-PKG9-24V	1,200 – 3,000 CFM; 3.5 – 7.5 ton; 2.25"W x 13.5"L x 1.75"D	
HVAC-PHI-PKG14-24V	3,000 – 8,000 CFM; 7.5 – 20 ton; 2.25"W x 18.5"L x 1.75"D	



**PORTABLE AIR PURIFICATION SYSTEMS**

P/N	Description	Qty
HVAC-PIP-MAX	PIP-MAX™ Portable Air Purification System (800sqft)	

**GUARDIAN AIR**

P/N	Description	Qty
HVAC-QRP-5	Guardian Air QR + 5"	
HVAC-QRP-9	Guardian Air QR + 9"	



**UV STICK LIGHT**

P/N	Description	Qty
HVAC-BLU-QR	Stick Light - 1yr lamp	
HVAC-BLU-QR2	Stick Light - 2yr lamp	



**REPLACEMENT CELLS & BULBS**

P/N	Description	Qty
HVAC-PHIC-RH	Replacement Cell for REME HALO	
HVAC-PHIC-QR9	Replacement Cell for QRP9	
HVAC-PHIC-9GA	Replacement Bulb for use with HVAC-PHI-212-GA	
HVAC-BQR+141Y	Replacement Bulb for BLU QR (one-year warranty)	
HVAC-BQR+142Y	Replacement Bulb for BLU QR-2 (two-year warranty)	

## COMMERCIAL PARTS

56 – 66

"COMMERCIAL MOTORS"	58 – 59
"COMMERCIAL COMPRESSORS"	60
"CHILLER PARTS"	61 – 66

### MINGLEDORFF'S COMMERCIAL PARTS GROUP



#### KNOWLEDGE IS POWER!

Mingledorff's now has the power to help our commercial customers.

In an effort to better serve our Commercial Customers, we started a new Commercial Parts Group, anchored by Curtis Owsley. Curtis is a 35 year veteran of the Commercial HVAC Industry. He worked as a Technician, Service Sales, and a District Service Manager. He is very knowledgeable about all Commercial HVAC Products, with a specialty in Carrier Commercial Equipment.

**Curtis Owsley**  
Commercial Parts Support

For more information, contact Curtis and the rest of the group at: [commercialparts@mingledorffs.com](mailto:commercialparts@mingledorffs.com), or give us a call at (844) 99-CHILL (992.4455). We are looking forward to hearing from you!

### TOTALINE® BELTED BLOWER MOTORS THREE PHASE



- Commercial Condenser Fan
- Open Drip-Proof, Air Over
- 56 Frame
- Ball Bearings
- Reverse Rotation
- Auto Thermal Overload Protector
- Class B
- Belly Band Mount, Flat and Keyway on Shaft

P/N	HP	Voltage	RPM	BRGS	AMPS	SHAFT DIA	SIP WT	Qty
P257-E379	1	208-230/460	1140	BALL	4.2/2.1	0.0625	27.3	
P257-E380	1 ½	208-230/460	1140	BALL	4.5/2.7	0.0625	35	



# COMMERCIAL PARTS

# COMMERCIAL MOTORS



## BALDOR® HVAC INTEGRAL MOTORS GENERAL PURPOSE, THREE PHASE TEFC

- Energy Saving Applications where Continuous Operation is Required
- Suitable for Use with Inverter Drives for Variable Torque and Constant Torque Ratings
- Class F Insulation
- Low-Loss Electrical Grade Lamination Steel
- Made in USA

P/N	HP	Voltage	PH	RPM	ENCL	Frame
EM3546T	1	230, 460	3	1800	TEFC	143T
EM3554T	1.5	230, 460	3	1800	TEFC	145T
EM3558T	2	230, 460	3	1800	TEFC	145T
EM3611T	3	230, 460	3	1800	TEFC	182T
EM3615T	5	230, 460	3	1800	TEFC	184T
EM3710T	7.5	230, 460	3	1800	TEFC	213T
EM3714T	10	230, 460	3	1800	TEFC	215T
EM2333T	15	230, 460	3	1800	TEFC	254T
EM2334T	20	230, 460	3	1800	TEFC	256T
EM4103T	25	230, 460	3	1800	TEFC	284T
EM4104T	30	230, 460	3	1800	TEFC	286T
EM4110T	40	230, 460	3	1800	TEFC	324T
<b>WITH SHAFT GROUNDING RING INSTALLED INTERNALLY (CLASS H MOTOR UP TO 40HP)</b>						
EM3546T-G	1	230, 460	3	1800	TEFC	143T
EM3615T-G	5	230, 460	3	1800	TEFC	184T
<b>F2 MOUNT - FOOT MOUNTED</b>						
EFM3611T	3	208-230/460	3	1800	TEFC	182T
EFM3615T	5	208-230/460	3	1800	TEFC	184T
EFM3710T	7.5	208-230/460	3	1800	TEFC	213T

\*Call for pricing.



## BALDOR® HVAC INTEGRAL MOTORS GENERAL PURPOSE, THREE PHASE ODP

- Heavy Gauge Steel Frame Construction
- Balanced Rotors for Reduced Vibration and Quiet Operation
- Suitable Mounting for Any Position
- Available in 1-75 HP - Ask Us for a Quote
- Made in USA

P/N	HP	Voltage	PH	RPM	ENCL	Frame
EM3116T	1	230, 460	3	1800	ODP	143T
EM3154T	1.5	230, 460	3	1800	ODP	145T
EM3154T-5	1.5	575	3	1800	ODP	145T
EM3157T	2	230, 460	3	1800	ODP	145T
EM3211T	3	230, 460	3	1800	ODP	182T
EM3218T	5	230, 460	3	1800	ODP	184T
EM3218T-8	5	230, 460	3	1800	ODP	184T
EM3311T	7.5	230, 460	3	1800	ODP	213T
EM3311T-8	7.5	200	3	1800	ODP	213T
EM3313T	10	230, 460	3	1800	ODP	215T
EM2513T	15	230, 460	3	1800	ODP	254T
EM2515T	20	230, 460	3	1800	ODP	256T
EM2531T	25	230, 460	3	1800	ODP	284T
EM2535T	30	230, 460	3	1770	ODP	286T
EM2536T	30	230, 460	3	1180	ODP	326T
EM2539T	40	230, 460	3	1770	ODP	324T
<b>WITH SHAFT GROUNDING RING INSTALLED INTERNALLY (CLASS H MOTOR UP TO 40HP)</b>						
EM3211T-G	3	230, 460	3	1765	ODP	182T
EM3218T-G	5	230, 460	3	1750	ODP	184T
EM2513T-G	15	230, 460	3	1765	ODP	254T
EM2539T-G	40	230, 460	3	1800	ODP	324T
<b>F2 MOUNT - FOOT MOUNTED</b>						
EFM2513T	15	230/460	3	1800	ODP	254T
EFM2515T	20	230/460	3	1800	ODP	256T
EFM3211T	3	230/460	3	1800	ODP	182T
EFM3218T	5	208-230/460	3	1800	ODP	184T
EFM3311T	7.5	230/460	3	1800	ODP	213T
EFM3313T	10	230/460	3	1800	ODP	215T

\*Call for pricing.

COMMERCIAL PARTS

COMMERCIAL PARTS

COMMERCIAL COMPRESSORS

DANFOSS UNIVERSAL SCROLL COMPRESSORS

Replacements for Trane Commercial Scrolls



R-22				
DANFOSS P/N	TONNAGE	MODEL NUMBER	TRANE P/N	PRICE
P040-11551	9.3 TON	CSHA OR S-093 J or R	COM06425	CALL
SM115-4QAI	9.3 TON	CSHA OR S-093K	COM06426	CALL
SM125-3QAI	10 TON	CSHA OR S-100 J or R	COM06429	CALL
SM125-4QAI	10 TON	CSHA OR S-100K	COM06430	CALL
SM175-3QAI	14 TON	CSHA OR S-140 J or R	COM06433	CALL
SM175-4QAI	14 TON	CSHA OR S-140K	COM06434	CALL
SM185-3QAI	15 TON	CSHA OR S-150 J or R	COM06437	CALL
SM185-4QAI	15 TON	CSHA OR S-150K	COM06438	CALL

CHILLER PARTS

CARRIER CHILLER PARTS  
19XR SERIES



PART NUMBER	DESCRIPTION	PRICE
02XB660004	Oil Filter Kit	CALL
10XR35000201	Gasket; Waterbox Condenser	CALL
09XB45001101	Gasket; Waterbox Condenser	CALL
KH42ME060	Filter Drier	CALL
KH11NG070	Strainer	CALL
KH45LE120	Filter Drier	CALL
PP23BZ103005	Synthetic Oil VS68 134a (5 gallon)	CALL
PP23BZ103001	Synthetic Oil VS68 134a (1 gallon)	CALL
19XR680047	7/8 Rotoloc Drier	CALL
02XR05005101	Rotoloc Fittings (2 qty.)	CALL
02XR05009501	Inline Oil Filter Frame 4	CALL
02XR05006201	Inline Oil Filter Frame 3	CALL
HH79NZ059	Direct Insertion Well Temperature Sensor	CALL
HH79NZ031	Well Insertion Temperature Sensor	CALL
HH79NZ032	Well Insertion Temperature Sensor	CALL
HH79NZ064	Cable; Temperature Sensor	CALL
HK05YZ007	Pressure Transducer	CALL

\*We currently stock these parts at our Loxley, AL, Savannah, GA, Norcross, GA, Marietta, GA, and Atlanta, GA locations. Contact your local Mingledorff's store Toll Free at 1(844) 99-CHILL (992-4455) or commercialparts@mingledorffs.com.





**CARRIER CHILLER PARTS**  
30RB SERIES



PART NUMBER	DESCRIPTION	PRICE
RC6600035	Thermistor Sensor	CALL
30RB660004	Crankcase Heater Kit	CALL
P903-2401	Refrig Oil POE-68vs 1 Gallon	CALL
00PPG000003100A	Flow Switch	CALL
HD58CH460	Fan Motor 3HP 460/3	CALL
30RB660038	Fan Propeller Kit	CALL
00PPG000008203A	High Pressure Switch	CALL
KH29MD048	Core Drier	CALL
00PPG000003000A	High Pressure Transducer (PSN4905Q)	CALL
00PPG000030600A	High Pressure Transducer (SSN4905Q)	CALL
00PPG000002000A	Low Pressure Transducer (PSN4905Q)	CALL
00PPG000030700A	Low Pressure Transducer (SSN4905Q)	CALL
HA-RB-217651-02	Flow Switch Wiring Harness	CALL
HA-RB-217363-02	Cable; DPTB (SSN4905Q)	CALL
SF703242	Cable; SPTA, Transducer Cable	CALL
HA-RB-217363-02	Cable; SPTB (SSN4905Q)	CALL
HA-RB-217363-04	Cable; DPTB (PSN4905Q)	CALL
SF703238	Cable; DPTA (SSN4905Q)	CALL
HK50AA063	Programmed Standard Tier Display	CALL
30RB660004	Crankcase Heater Kit	CALL
30RB660057	Scroll Protection Module	CALL
HN680170	Fan Contactor	CALL
3RT20161AB01	Fan Contactor High Inter	CALL
RC6800051	Contactor; Compressor	CALL

\*We currently stock these parts at our Loxley, AL, Savannah, GA, Norcross, GA, Marietta, GA, and Atlanta, GA locations. Contact your local Mingledorff's store Toll Free at 1(844) 99-CHILL (992-4455) or commercialparts@mingledorffs.com.



**CARRIER CHILLER PARTS**  
30RAP SERIES



PART NUMBER	DESCRIPTION	PRICE
971-0065-04	Compressor Protection Module (A1 & A2)	CALL
EF19ZZ139	Compressor Unloader Coil (Solenoid)	CALL
HH79EZ003	Thermistor (DISCHARGE GAS)	CALL
P903-1601	3 MAF POE Oil 1 Gallon	CALL
910-0182-00	Compressor Unloader Repair Kit	CALL
30GT515217	Programmed EXV	CALL
HK50AA063	Scrolling Marquee (programmed display)	CALL
HN53CD024	Compressor/Fan Contactor 3P 40FLA 24V	CALL
RC6800095	High Inter 24V Contactor	CALL
HD52AZ465	Motor; 460/3 1.25 HP 850 RPM	CALL
HK02ZZ001	Switch; High Pressure	CALL
HK05SZ003	SPT-A Pressure Transducer	CALL
HK05ZZ001	OPT-A Pressure Transducer	CALL
30RA680013	Cable; Transducer	CALL
30GB660002	Thermistor	CALL
30MP500424	Cable; Flow Switch	CALL
38APHSCBV-PA00	Cable; Assy EXV	CALL
HR81LG020	Flow Switch	CALL
HD52AZ228	Motor; 208/230/3	CALL
HN680068	Contactor; High Inter 208/230	CALL

\*We currently stock these parts at our Loxley, AL, Savannah, GA, Norcross, GA, Marietta, GA, and Atlanta, GA locations. Contact your local Mingledorff's store Toll Free at 1(844) 99-CHILL (992-4455) or commercialparts@mingledorffs.com.

COMMERCIAL PARTS

COMMERCIAL PARTS

**CARRIER CHILLER PARTS**  
23XL SERIES



PART NUMBER	DESCRIPTION	PRICE
23XL660009	Oil Filter Package	CALL
23XL660016	Oil Filter Kit	CALL
PP23BZ110005	Synthetic Oil 5 Gallon 220VS	CALL
KH11NG070	Strainer	CALL
HK05YZ007	Pressure Transducer	CALL
HH79NZ059	Rotor Inlet Sensor	CALL
HH79NZ048	Cable set; sensor	CALL
HH79NZ047	Temp Sensor	CALL
19XB660003	Cable set 285" for transducer	CALL
HHT660003	Transformer	CALL
P502-8415S	Motor Coolant Drier	CALL
P507-8569S	Econ to Comp. Line Drier	CALL

*\*We currently stock these parts at our Loxley, AL, Savannah, GA, Norcross, GA, Marietta, GA, and Atlanta, GA locations. Contact your local Mingledorff's store Toll Free at 1(844) 99-CHILL (992-4455) or commercialparts@mingledorffs.com.*



**CARRIER CHILLER PARTS**  
30HXC SERIES



PART NUMBER	DESCRIPTION	PRICE
06NA660028	Filter and O-Ring Kit (internal)	CALL
KK71JY180	Barrell O-Ring	CALL
P903-2301	POE 220VS Oil (gallon)	CALL
4004TA	External Oil Filter	CALL
HH79NZ029	Thermistor Temp Sensors	CALL
HR81LD001	Flow Switch	CALL
HK05YZ001	Transducer, SPT, EPT	CALL
30MP500424	Cable; Flowswitch	CALL
30HX402612	Transducer Cable Assy	CALL

*\*We currently stock these parts at our Loxley, AL, Savannah, GA, Norcross, GA, Marietta, GA, and Atlanta, GA locations. Contact your local Mingledorff's store Toll Free at 1(844) 99-CHILL (992-4455) or commercialparts@mingledorffs.com.*



**CARRIER CHILLER PARTS**  
30XA SERIES



PART NUMBER	DESCRIPTION	PRICE
00PPG000489000A	High Pressure Switch	CALL
00PPG000011400A	Oil Level Switch	CALL
188127	O-Ring Oil Level Switch	CALL
00PPG000012000A	Transducer; (DPT, OPT)	CALL
KK71EW016	O-Ring Oil Filter	CALL
P903-2301	Oil	CALL
HN680170	Contactora; Fan	CALL
3RT20161AB01	Contactora; Oil Heater	CALL
00PSG000469000A	Programmed Compressor Protection Module	CALL
RC6800190	Contactora; 60V 10A (XL)	CALL
3RT10341AK60	Contactora; 60V 10A (XD)	CALL
RC6800161	Contactora; 60V 10A (YD)	CALL
10HX500148	Cooler Head Gasket	CALL
HR81LG020	Flow Switch	CALL
00PPG000012100A	Traducer: (SPT, EPT)	CALL
KK71JY140	Cooler Head O Ring 14.475 ID	CALL
HA-XA-215164-04	Cable; Flow Switch	CALL
HD52AZ468	Motor; 460/3 1.3HP	CALL
HD52AZ220	Motor; 208/230/3 1.3HP	CALL

\*We currently stock these parts at our Loxley, AL, Savannah, GA, Norcross, GA, Marietta, GA, and Atlanta, GA locations. Contact your local Mingledorff's store Toll Free at 1(844) 99-CHILL (992-4455) or commercialparts@mingledorffs.com.

## CAFFEINE & COILS



Caffeine & Coils is the go-to podcast for HVAC technicians, blending industry expertise with engaging conversations. Hosted by Deanna and Jenny, each episode dives into the latest HVAC trends, practical tips, and real-life stories from the field. From troubleshooting smart systems to exploring seasonal maintenance strategies, we've got the insights you need to level up your career. With fun segments and entertaining episode endings, we'll keep you informed and engaged while tackling all things HVAC. So, grab your favorite caffeinated drink and tune in for your next must-listen episode!

Topics include:

- **Latest HVAC Trends:** Exploring new technologies and industry developments.
- **Practical Maintenance Tips:** Offering advice on system upkeep and efficiency.
- **Troubleshooting Common Issues:** Guidance on diagnosing and resolving frequent HVAC problems.
- **Energy Efficiency Strategies:** Discussing methods to optimize energy use in heating and cooling systems.

- **Seasonal Preparation:** Preparing HVAC systems for different weather conditions.
- **Guest Interviews:** Conversations with industry experts and professionals.
- and more!

Scan the QR Code to listen. Don't forget to RATE, REVIEW, and SUBSCRIBE!



[or click here](#)



COMMERCIAL PARTS



## HeatCool.com

Your one stop shop for technical and warranty support.



### Scan QR to Access Our Online Resources



- View training calendar and register for classes
- Sign up for technical news and tips
- Troubleshooting guides and more

[HeatCool.com](https://www.heatcool.com)





## 41 Locations Throughout the Southeast to Serve You

Pricing, availability and product information available 24/7 at [www.singlesource.mingledorffs.com](http://www.singlesource.mingledorffs.com)

Location	Phone	Address
<b>Albany</b>	(229) 432-5254	205 Baldwin Dr. Albany, GA 31707
<b>Anniston</b>	(256) 241-3026	105 E. D St. Anniston, AL 36201
<b>Athens</b>	(706) 548-4019	105 Whitetail Way Bogart, GA 30622
<b>Atlanta</b>	(404) 875-7755	1290 Tacoma Dr. Atlanta, GA 30318
<b>Auburn</b>	(334) 734-8011	2295 1st Ave. Opelika, AL 36801
<b>Augusta</b>	(706) 651-1950	3618 Wrightsboro Rd. Augusta, GA 30909
<b>Birmingham</b>	(205) 250-7714	516A 31st St. N Birmingham, AL 35203
<b>Braselton – MEC</b>	(770) 967-3263	5456 Dalton Ct. Braselton, GA 30517
<b>Brunswick</b>	(912) 265-5193	275 Rose Dr. Brunswick, GA 31520
<b>Columbus</b>	(706) 322-3870	6201 West Hamilton Park Dr. Columbus, GA 31909
<b>Conyers</b>	(770) 918-9132	335 Gee's Mill Business Pkwy. Conyers, GA 30013
<b>Cumming – MEC</b>	(770) 781-5533	2570 Business Dr. Cumming, GA 30040
<b>Dothan</b>	(334) 836-1035	205 Wedgewood Dr. Dothan, AL 36303
<b>Forest Park</b>	(404) 361-2474	5158 Kennedy Rd. Suite B&C Forest Park, GA 30297
<b>Fort Walton</b>	(850) 244-2017	76 Beal Pkwy. SW Ft. Walton Beach, FL 32548
<b>Gainesville</b>	(770) 297-9335	2472 Hilton Dr. Gainesville, GA 30501
<b>Gulf Shores</b>	(251) 968-2660	820 Commerce Dr. Gulf Shores, AL 36542
<b>Hardeeville</b>	(843) 867-2143	132 Red Oaks Way Ridgeland, SC 29936
<b>Hattiesburg</b>	(601) 579-9670	1851 Lincoln Rd. Hattiesburg, MS 39402
<b>Hilton Head</b>	(843) 689-3404	21-A Hunter Rd. Hilton Head, SC 29926
<b>Huntsville</b>	(256) 859-2691	391 Nick Fitchheard Rd. Huntsville, AL 35806
<b>Lawrenceville</b>	(678) 442-1060	2111 Cedar Rd. Bldg. A Lawrenceville, GA 30043

Location	Phone	Address
<b>Lawrenceville – MEC</b>	(770) 963-6226	111-B Tanner St. Lawrenceville, GA 30046
<b>Lithia Springs</b>	(770) 948-3451	320 Thorton Rd. #106 Lithia Springs, GA 30122
<b>Loxley</b>	(251) 964-2707	30020 County Rd. 49 Loxley, AL 36551
<b>Macon</b>	(478) 474-8544	5527 Thomaston Rd. Macon, GA 31220
<b>Marietta</b>	(770) 426-0551	1060-D Triad Ct. Marietta, GA 30062
<b>Marietta – MEC</b>	(678) 354-1174	1050 Industrial Park Dr. Suite A Marietta, GA 30062
<b>Mobile</b>	(251) 476-6285	5522 W Commerce Blvd. Mobile, AL 36619
<b>Montgomery</b>	(334) 262-4855	861 Plantation Way, Bldg A Montgomery, AL 36117
<b>Muscle Shoals</b>	(256) 383-6904	107 Commerce St. Muscle Shoals, AL 35661
<b>Newnan</b>	(770) 239-2105	70 Enterprise Ct. Newnan, GA 30265
<b>Ocean Springs</b>	(228) 497-5090	5717 Suntech Dr. Sunplex Ind. Park Ocean Springs, MS 39564
<b>Panama City</b>	(850) 913-0585	800 W 13th St. Panama City, FL 32401
<b>Peachtree Corners</b>	(770) 239-2100	6675 Jones Mill Ct. Peachtree Corners, GA 30092
<b>Pensacola</b>	(850) 438-1005	4405 North Palafox St. Pensacola, FL 32505
<b>Savannah</b>	(912) 232-1228	103 Central Junction Blvd. Savannah, GA 31405
<b>Statesboro</b>	(912) 764-8841	251 West Parrish St. Statesboro, GA 30458
<b>Tuscaloosa</b>	(205) 632-7176	5030 Old Montgomery Hwy Tuscaloosa, AL 35405
<b>Valdosta</b>	(229) 245-8200	363 Connell Rd. Valdosta, GA 31602
<b>Warner Robins</b>	(478) 953-3727	110 Byrd Way Warner Robins, GA 31088



Universal HVAC/R  
Parts and Supplies